

Modeling of Leaching of Silver, Copper and Indium

NguyenViet Hoai、李清華

E-mail: 359000@mail.dyu.edu.tw

ABSTRACT

I would like to express my warmest gratitude to all people who in one way or another have helped me in the completion of this thesis. I wish to convey my sincere thanks to my advisor Professor Ching-Hwa Lee (in Department of Environmental Engineering – Dayeh University), who not only gave me an opportunity to carry out this research in the area of my interest but also supported and cared my daily life in Taiwan. Moreover, I must thank my dear friends in Lab 801 who have created the best atmosphere for me during the 2-year study in Taiwan. The most and above all, I missed my family while living far from them but they always encouraged me to finish my work.

Keywords :

Table of Contents

CONTENTS ABSTRACT.....	1 中文摘要.....
.....v ACKNOWLEDGMENTS.....	
.....vii CONTENTS.....	viii LIST OF FIGURES.....
.....x LIST OF TABLES.....	
.....xii LIST OF ABBREVIATION.....	xiv CHAPTER 1.
INTRODUCTION	
.....1 1.1Background	
.....1 1.2Objectives	
.....2 CHAPTER 2. LITERATURE REVIEW	
.....3 2.1Leaching process	
.....3 2.1.1 Definition of leaching process	
.....3 2.1.2 General types of leaching process	
4 2.1.2.1 Leaching process in agriculture	4 2.1.2.2 Bioleaching
.....5 2.1.2.3 Leaching in metallurgy	
.....5 2.1.2.4 Leaching in chemistry	
.....9 2.2 Overview of silver, copper and indium	
.....10 2.2.1 Overview of silver	
.....10 2.2.2 Overview of copper	
.....11 2.2.3 Overview of indium	
.....12 2.3Modeling in leaching processes	
.....12 2.4Nonlinear regression analysis in SPSS	
software.....	
.....21 2.4.1 SPSS software	
.....21 2.4.2 Nonlinear regression analysis	
.....22 CHAPTER 3. STUDY METHOD	
.....23 3.1 Development of leaching model	
.....23 -ix 3.2 Leaching data collection	
.....26 3.2.1 Leaching data of silver (Ag)	
.....26 3.2.2 Leaching data of copper (Cu)	
.....27 3.2.3 Leaching data of indium (In)	
.....27 3.3 Optimization of leaching model	
.....28 CHAPTER 4. RESULTS AND DISCUSSION	
.....29 4.1 Optimal leaching model of silver	
29 4.1.1 Leaching data of silver	29 4.1.2 Modeling of silver leaching by nonlinear regression program.....
.....32 4.2 Optimal leaching model of copper	
.....70 4.2.1 Leaching data of copper	

70	4.2.2 Modeling of copper leaching by nonlinear regression program.....	72	4.3 Optimal leaching model of indium	102	4.3.1																						
Leaching data of indium	102	4.3.2 Modeling of indium leaching by nonlinear regression program	104	4.4 Comparison between different leaching models of silver, copper and indium	132																						
CHAPTER 5. CONCLUSION AND SUGGESTION	134	5.1 Conclusion	134	5.2 Suggestion	138																						
138 REFERENCES	139	-x LIST OF FIGURES	Figure 3-1: The flowchart of this research procedure	24	Figure 4-1: A comparison between experimental and predicted leaching yield of silver by Model 1	36	Figure 4-2: A comparison between experimental and predicted leaching yield of silver by Model 2	40																			
Figure 4-3: A comparison between experimental and predicted leaching yield of silver by Model 3	45	Figure 4-4: A comparison between experimental and predicted leaching yield of silver by Model 4	51	Figure 4-5: A comparison between experimental and predicted leaching yield of silver by Model 5	54	Figure 4-6: A comparison between experimental and predicted leaching yield of silver by Model 6	59	Figure 4-7: A comparison between experimental and predicted leaching yield of silver by Model 7																			
65	Figure 4-8: A comparison between experimental and predicted leaching yield of copper by Model 1	75	Figure 4-9: A comparison between experimental and predicted leaching yield of copper by Model 2	78	Figure 4-10: A comparison between experimental and predicted leaching yield of copper by Model 3	82	Figure 4-11: A comparison between experimental and predicted leaching yield of copper by Model 4	86																			
Figure 4-12: A comparison between experimental and predicted leaching yield of copper by Model 5	89	Figure 4-13: A comparison between experimental and predicted leaching yield of copper by Model 6	93	Figure 4-14: A comparison between experimental and predicted leaching yield of copper by Model 7	98	-xi																					
Figure 4-15: A comparison between experimental and predicted leaching yield of indium by Model 1	106	Figure 4-16: A comparison between experimental and predicted leaching yield of indium by Model 2	109	Figure 4-17: A comparison between experimental and predicted leaching yield of indium by Model 3	113	Figure 4-18: A comparison between experimental and predicted leaching yield of indium by Model 4	117	Figure 4-19: A comparison between experimental and predicted leaching yield of indium by Model 5	120	Figure 4-20: A comparison between experimental and predicted leaching yield of indium by Model 6	124																
Figure 4-21: A comparison between experimental and predicted leaching yield of indium by Model 7	129	-xii LIST OF TABLES	Table 4-1 Leaching yield of silver with thiourea leaching	30	Table 4-2 The input data and the best fitting result of Model 1 with leaching data of silver by SPSS nonlinear regression program	35	Table 4-3 The input data and the best fitting result of Model 2 with leaching data of silver by SPSS nonlinear regression program	38	Table 4-4 The input data and the best fitting result of Model 3 with leaching data of silver by SPSS nonlinear regression program	42	Table 4-5 The input data and the best fitting result of Model 4 with leaching data of silver by SPSS nonlinear regression program	47	Table 4-6 The input data and the best fitting result of Model 5 with leaching data of silver by SPSS nonlinear regression program	53	Table 4-7 The input data and the best fitting result of Model 6 with leaching data of silver by SPSS nonlinear regression program	56	Table 4-8 The input data and the best fitting result of Model 7 with leaching data of silver by SPSS nonlinear regression program	61	Table 4-9 Experimental and predicted value of leaching yield of silver with seven models	66	Table 4-10 The values of mean square deviation of seven models with leaching data of silver	69	Table 4-11 Leaching yield of copper with sulfuric acid leaching.....	71	Table 4-12 The input data and the best fitting result of Model 1 with leaching data of copper by SPSS nonlinear regression program	74	Table 4-13 The input data and the best fitting result of Model

2 with leaching data of copper by SPSS nonlinear regression program	77	Table 4-14 The input data and the best fitting result of Model 3 with leaching data of copper by SPSS nonlinear regression program
.....80		Table 4.15 The input data and the best fitting result of Model 4 with leaching data of copper by SPSS nonlinear regression program
SPSS nonlinear regression program	84	Table 4-16 The input data and the best fitting result of Model 5 with leaching data of copper by SPSS nonlinear regression program
5 with leaching data of copper by SPSS nonlinear regression program	88	-xiii Table 4.17 The input data and the best fitting result of Model 6 with leaching data of copper by SPSS nonlinear regression program
.....91		Table 4-18 The input data and the best fitting result of Model 7 with leaching data of copper by SPSS nonlinear regression program
SPSS nonlinear regression program	95	Table 4-19: Experimental and predicted value of leaching yield of copper with seven models
mean square deviation with seven models with leaching data of Cu	99	Table 4-20 The values of
....101		Table 4-21 Leaching yield of indium with sulfuric acid leaching
Table 4-22 The input data and the best fitting result of Model 1 with leaching data of indium by SPSS nonlinear regression program	103	
105		Table 4-23 The input data and the best fitting result of Model 2 with leaching data of indium by SPSS nonlinear regression program
.....108		Table 4-24 The input data and the best fitting result of Model 3 with leaching data of indium by SPSS nonlinear regression program
111		Table 4-25 The input data and the best fitting result of Model 4 with leaching data of indium by SPSS nonlinear regression program
.....115		Table 4-26 The input data and the best fitting result of Model 5 with leaching data of indium by SPSS nonlinear regression program
.....119		Table 4-27 The input data and the best fitting result of Model 6 with leaching data of copper by SPSS nonlinear regression program
122		Table 4-28 The input data and the best fitting result of Model 7 with leaching data of indium by SPSS nonlinear regression program
.....126		Table 4-29: Experimental and predicted value of leaching yield of indium with seven models
.....130		Table 4-30 The values of mean square deviation with seven models with leaching data of in
	131	

REFERENCES

- REFERENCES
1. Leaching process, Leaching Environmental Assessment Framework,Vanderbilt University School of Engineering, Nashville, TN, The Energy Research Centre of the Netherlands, Petten, the Netherlands, DHI, Horshol, Denmark and U.S. Environmental Protection Agency (Office of Research & Development and Office of Solid Waste), accessed 3th February 2012.
 2. Leaching, Water treatment solutions Lenntech, accessed online 6 February 2012.
 3. Leaching (agriculture), Wikipedia accessed online 5th February 2012.
 4. Donal R. Hodel, Planting palms, Ground maintenance accessed online 5thFebruary2012.
 5. Bioleaching, Wikipedia accessed online 5th February 2012.
 6. Bioleaching accessed online 7thFebruary2012.
 7. In-situ leach, Wikipedia accessed online 7thMarch2012.
 8. Tank leaching, Wikipedia accessed online 7thMarch2012.
 9. Heap leaching, Wikipedia accessed online 9thMarch2012.
 - 140-
 10. Gold cyanide solution (leaching gold with cyanide) accessed online 9thMarch2012.
 11. Dump leaching, Wikipedia accessed online 9thMarch2012.
 12. Leaching (chemistry), Wikipedia accessed online 9thMarch2012.
 13. Leaching, Chemistry daily accessed online 9thMarch2012.
 14. World silver supply and demand, The Silver Institute,888 16th Street, NW , Suite #303, Washington, DC 20006 accessed 14thMarch2012.
 15. Silver accessed 15th March2012.
 16. Copper, Great Mining, 1291 Riverbend Way, Frederick, MD 21701 accessed online 14thMarch2012.
 17. Copper, Copper Development Association Inc accessed online 15thMarch2012.
 18. Copper, American Elements, The World ' s Manufacturer of Engineered & Advanced Materials accessed online 16thApril2012.
 19. Energy materials, shortages, the search for substitute materials or alternative mine sources, Compute Scotlandaccessed online 17thApril 2012.
 20. Indium, The Geological Society of America accessed online 17th April 2012.
 21. G. Furlani, E. Moscardini , F. Pagnanelli, F. Ferella, F. Vegli?, L. Toro, Recovery of manganese from zinc alkaline batteries by reductive acid leaching using carbohydrates as reductant, Journal of Hydrometallurgy, 2009, 99, 115-118.
 22. E.Sayan and M. Bayramoglu, Statistical modelling of sulphuric acid leaching of TiO₂, Fe₂O₃ and Al₂O₃ from red mud, Journal of Trans IChemI, September 2001, vol 79, Part B.
 23. E. Sayilgan, T. Kukrer, F. Ferella, A. Akcil, F. Veglio, M. Kitit, Reductive leaching of manganese and zinc from spent alkaline and zinc-carbon batteries in acidic media, Journal of Hydrometallurgy, 2009, 97, 73-79.
 24. R.N. Sahoo. P.K. Naik, S.C. Das, Leaching of manganese from low-grade manganese ore using oxalic acid as reductant in sulphuric acid solution, Journal of Hydrometallurgy, 2001, 62, 157-63.
 25. Ching-Hwa Lee, Li-Wen Tang and C.T. Chang, Modeling of fugitive dust emission for construction sand and gravel processing plant, Journal of Environmental Science and Technology, 2001, 35, 2073-2077.
 26. SPSS, Wikipedia accessed online 17thMarch2012.
 27. SPSS regression, IBM corporation, USA accessed 18thMarch2012.
 - 142-
 28. Ching-Hwa Lee and Li-Wen Tang and Srinivasa R Popuri, A study on the recycling of scrap integrated circuits by leaching, Waste Management & Research Journal, 2010, 0(0), 1-9.
 29. M. SalimOncel, MahirInce, MahmutBayramoglu, Leaching of silver from solid waste using ultrasound assisted thiourea method, Journal of UntrasonicsSonochemistry, 2005, 12, 237-242.
 30. M.M. Antonijevic, M.D. Dimitrijevic, Z.O. Stevanovic, S.M. Serbula, G.D. Bogdanovic, Investigation of the possibility of copper recovery from the flotation tailings by acid leaching, Journal of Hazardous Materials, 2008, 158, 23-24.
 31. Bi-fang Guo, Recycling of Indium Tin Oxide Sand Blasting Waste, Master thesis at Dayeh University, 2010.
 32. Yu Tin Peng,

Resource Recovery of Scrap liquid Crystal Display, Master thesis at Dayeh University, 2005. 33. Zhengyong Zhang, JinhuiPeng, C. Srinivasakannan, Zebiao Zhang, Libo Zhang, Y.Fernandez, J.A. Menendez, Leaching zinc from spent catalyst: Process optimization using response surface methodology, Journal of Hazardous Materials, 2010, 176, 1113-1117. 34. G. Senanayake, S-M. Shin, A. Senaputra, A. Winn, D. Pugaev, J. Avraamides, J-S Sohn, D-J. Kim, Comparative leaching of spent zinc-manganese-carbon batteries using sulfur dioxide in ammoniacal and sulfuric solutions, Journal of Hydrometallurgy, 2010, 105, 36-41. 35. S. Agatzini-Leonardou, P. Oustadakis, P.E, Tsakiridis, Ch. Markopoulos, Titanium leaching from red mud by diluted sulfuric at atmospheric pressure, Journal of Hazardous Materials, 2008, 157, 579-586. 36. EnesSayan, MahmutBayramoglu, Statistical modeling of sulfuric acid leaching of TiO₂ from red mud, Journal of Hydrometallurgy, 2000, 57, 181-186. -143- 37. R. Raghavan, P.K. Mohanan, S.R. Swarnkar, Hydrometallurgical processing of lead-bearing materials for the recovery of lead and silver as lead concentrate and lead metal, Journal of Hydrometallurgy, 2000, 58, 103-116. 38. P.C. Holloway, K.P. Merriam, T.H. Etsell, Nitric acid leaching of silver sulphide precipitates, Journal of Hydrometallurgy, 2004, 74, 213-220. 39. D.S.R. Murthy, P.M. Prasad, Leaching of gold and silver from Miller Process dross through non-cyanide leachants, Journal of Hydrometallurgy, 1996, 42, 27-33. 40. M.C. Ruiz, E. Gallardo, R. Padilla, Copper extraction from white metal by pressure leaching in H₂SO₄-FeSO₄-O₂,Journal of Hydrometallurgy,2009, 100, 50-55. 41. F. Bakhtiari, H. Atashi, M. Zivdar, S.A. SeyedBagheri, Continuous copper recovery from a smelter ' s dust in stirred tank reactors, International Journal of Mineral Process, 2008, 86, 50-57. 42. TuranCalban, SabriColak, Murat yesilyurt, Statistical modeling of Chevreul ' s salt recovery from leaching solutions containing copper, Chemical Engineering and Processing Journal, 2006, 45, 168-174.