

# Phylogeography of the Land Snail *Satsuma batanica* (Gastropoda : Camaenidae)

陳芊蓉、賴伯琦,黃重期

E-mail: 387160@mail.dyu.edu.tw

## ABSTRACT

The semi-arboreal land snail *Satsuma batanica* group includes 3 (sub-)species. Individuals of populations demonstrate obvious variation in shell size and shell shape. Furthermore, the taxonomy of dextral and sinistral species is not clear yet. This research use sequence of the mtDNA 16s rRNA to investigate their phylogeography. Total of 47 haplotypes were identified from 107 individual sequences. Most populations have their own unique haplotypes. The genetic divergence between the populations is correlated with geographic distance. Two lineages were raised from south of the Central Range. One colonized southwest Hengchung Peninsula, the other colonized other part of current distribution. The AMOVA analysis showed less divergence among (sub-)species, therefore, I suggest to keep *S. bacca* as a valid species while to treat *S. batanica boteltobagoensis* and *S. b. pancala* as synonym of *S. batanica*.

Keywords : *Satsuma batanica*、phylogeography、mitochondrial DNA

## Table of Contents

中文摘要 iii 英文摘要 iv 誌謝 v 目錄 viii 圖目錄 xi 1.前言 1 1.1班卡拉蝸牛 1 1.1.1 分類 1 1.1.2 型態 3 1.1.3 生態 3 1.2 分類學上的疑問 4 1.2.1 左旋 *S. batanica* 與右旋 *S. bacca* 的親緣關係 4 1.2.2 體型大小變異 5 1.3 親緣地理學與親緣歷史 6 1.4 粒線體DNA與分子演化 6 1.5 研究目的 7 2.實驗方法 9 2.1 樣本 9 2.2 粒線體DNA的萃取 10 2.3 聚合?連鎖反應 (PCR) 10 2.3.1 選用引子 10 2.3.2 PCR 條件設定 11 2.3.3 瓊脂凝膠之配製 11 2.3.4 PCR 產物的電泳分析 12 2.4 DNA 的定序 12 2.5 定序資料之分析 12 2.5.1 DNA序列整理 (alignment) 12 2.5.2 遺傳變異分析 (Genetic variation) 13 2.5.3 親緣分析 (Phylogenetic) 13 2.5.4 族群遺傳分析 (Population genetic analysis) 14 3.結果 15 3.1 16S rRNA 序列分析基本資料 15 3.2 單倍型的親緣關係分析 16 3.3 族群內遺傳變異分析 17 3.4 族群間遺傳變異分析 17 4.討論 20 4.1 親緣地理學與親緣歷史 20 4.2 *Satsuma batanica* 與 *S. bacca* 的旋向與分類 20 5.結論 23 參考文獻 24 附錄 45 圖目錄 圖1.班卡拉蝸牛群採樣點位置 29 圖2.以16scs1/16sbr引子組合增幅mtDNA 16s rRNA產物電泳圖 30 圖3.以 Neighbor-joining 法重建的班卡拉蝸牛群的47個haplotype 親緣關係圖 31 圖4.班卡拉蝸牛群16S rRNA序列單倍型的NeighborNet網狀圖 32 圖5.以Neighbor-joining法分析族群的親緣關係樹 33 表目錄 表1.樣本詳細採集地點與族群代號表 34 表2.班卡拉蝸牛群現行分類系統下各分類群的樣點 35 表3.班卡拉蝸牛群mtDNA 16S rRNA 的AMOVA分析 37 表4.班卡拉蝸牛群mtDNA 16S rRNA序列的47個單倍型的遺傳距離矩陣 38 表5.班卡拉蝸牛群mtDNA 16S rRNA各族群的平均遺傳距離矩陣 44

## REFERENCES

- 1.陳玉玲。2004。紅楠與大葉楠兩近緣種之粒線體DNA基因譜系。中國文化大學。生物科技研究所。台北，台灣。
- 2.黃重期。1995。以粒線體核酸研究南亞蝸牛屬親緣關係，國立中山大學生命科學研究所碩士論文，93 pp.
- 3.謝伯娟、黃重期、吳書平。2006。台灣蝸牛圖鑑，第二版。行政院農業委員會林務局。台北。
- 4.Avies, J. C. 2000. Phylogeography. Harvard University Press, London.
- 5.Avise, J. C., J. Arnold, R. M. Ball, E. Bermingham, T. Lamb, J. E. Neigel, C. A. Reeb and N. C. Saunders. 1987. Intraspecific phylogeography: the mitochondrial DNA bridge between population and genetics and systematics. Annual Review of Ecology and Systematic 18:489-522.
- 6.Bouchet P. and J. P. Rocroi 2005. Classification and nomenclator of gastropod families. Malacologia 47(1-2):1-397.
- 7.Brown, W. M., M. Jr. George and A. C. Wilson. 1979. Rapid evolution of animal mitochondrial DNA. Proceedings of National Academy of Science, U.S.A. 76:1967-1971.
- 8.Brown. W. M., E. W. Prager, A. Wang and A. C. Wilson. 1982. Mitochondrial DNA sequences of primates: Tempo and mode of evolution. Journal of Molecular Evolution 18:225-239.
- 9.Chang K. M. 1992. Dwarf type of *Camaena batanica pancala* (Schmacker and Boettger) from South Cape, Taiwan and its allied species (Pulmonata: Camaenidae). Bulletin of Malacology 17: 11 – 20.
- 10.Chiba, S. 1999. Accelerated evolution of land snails Mandarina in the oceanic Bonin Islands: evidence from mitochondrial DNA sequences. Evolution 53:460-471.
- 11.Cowie, R. H. 1992. Evolution and extinction of Partulidae, endemic Pacific island land snails. Philosophy Transactions of Royal Society London, Series B 335:167-191.
- 12.Davison A., S. Chiba, N. H. Barton and B. Clarke. 2005. Speciation and Gene Flow between Snails of Opposite Chirality. PLoS Biology 3:1559-1571.
- 13.Dumolin-Lapegue S, B. Demesure, S. Fineschi, V. Corre and R. J. Petit. 1997. Phylogeographic structure of white oaks throughout the European continent. Genetics, 146: 1475-1487.
- 14.Excoffier, L. G. Laval and S. Schneider. 2005. Arlequin ver. 3.0: An integrated software package for population genetics data analysis. Evolutionary Bioinformatics Online 1:47-50.
- 15.Felsenstein, J. 1985. Confidence limits on phylogenies: an approach using the bootstrap. Evolution 9(4):783-791.
- 16.Futuyma D. J. 1998. Evolutionary Biology, 3rd ed. Sinauer, Sunderland,

- MA. 17.Graur, D. and W. H. Li, 2000. Fundamentals of Molecular Evolution. 2nd ed. Sinauer Associates, Sunderland, MA 18.Hall, T. A. 1999. BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. Nucleic Acids Symposium Series 41:95-98. 19.Hewitt, G. M. 1996. Some genetic consequences of ice ages, and their role in divergence and speciation. Biological Journal of the Linnean Society 58:247-276. 20.Hillis, D. M., C. Moritz, and B. K. Mable (eds). 1996. Molecular Systematics. Sinauer Associates, USA.
- 21.Hwang, C. C. 2012. Anatomy and taxonomy of *Satsuma succincta* (Adams, 1866) and *Satsuma batanica pancala* (Schmacker & Boettger, 1891) (Gastropoda: Camaenidae) from southern Taiwan . Bulletin of Malacology 35:1-11. 22.Johnson, M. S. 1982. Polymorphism for direction of coil in *Partula suturalis*: behavioural isolation and positive frequency dependent selection. Heredity 49:145-151. 23.Kameda, Y., A. Kawakita and M. Kato 2007. Cryptic genetic divergence and associated morphological differentiation in the arboreal land snail *Satsuma* (Luchuhadra) largillierti (Camaenidae) endemic to the Ryukyu Archipelago, Japan. Molecular Phylogenetics and Evolution 45:519-533. 24.Kimura M. 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. Journal of Molecular Evolution 16:111-120. 25.Kuroda T. 1941. A catalogue of molluscan shells from Taiwan (Formosa), with description of new species. Memoirs of the Faculty of Science and Agriculture Taihoku Imperial University 12: 65-216. 26.Kuroda T. 1958. Land shell fauna of Japan (4). Venus 20: 132-158.
- 27.Kuroda, T. 1932. Notes on the land shell fauna of Kotosyo. Bulletin of Biogeography Society, Japan 3:9-10. 28.Kuroda, T. and T. Habe. 1949. Helicacea. Saminsha, Tokyo. 29.Lai KY. 1981. Study on morphology and ecology of the land snail *Pancala batanica pancala*. Bulletin of Malacology 8: 1-10. 30.Librado, P. and J. Rozas, 2009. DnaSP v5: A software for comprehensive analysis of DNA polymorphism data. Bioinformatics 25: 1451-1452 31.Moellendorff, O. F. von. 1884. Materialien zur Fauna von China. Jahrbuch der Deutschen Malakozoologischen Gesellschaft 11:307-390. 32.Nei M., F. Tajima and Y. Tateno. 1983. Accuracy of estimated phylogenetic trees from molecular data. II. Gene frequency data. Journal of Molecular Evolution 19(2):153-70. 33.Nei, M. 1987. Molecular Evolutionary Genetics. Columbia University Press, New York. 34.Ohara K. and Y. Otani. 2002. Catalogue of the Dr. Tokubei Kuroda shell collection deposited in the Nishinomiya Shell Museum. Part 1 Non-marine Gastropoda. Bulletin of the Nishinomiya Shell Museum 1: 1-139. 35.Pfeiffer, L. 1866[1865]. Description of thirteen new species of land -shells from Formosa, in the collection of the late Hugh Cuming, collected by Mr. Robert Swinhoe, Vice-Consul of that island. Proceedings of Zoological Society, London 1865:828-831. 36.Pilsbry H. A. 1895. Manual of Conchology, 2nd series (Helicidae Vol.7). Vol. 9. Academy of Natural Sciences of Philadelphia?: ?Philadelphia. 37.ruett, G. E, P. Heeger., R. L. Mynatt, A. A. Truett, J. A. Walker and J. L. Warman. 2000. Preparation of PCR Quality Mouse Genomic DNA with Hot Sodium Hydroxide and Tris (HotSHOT). BioTechniques 29: 52-54. 38.Saitou, N. and M. Nei. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. Molecular Biology and Evolution 4:406-425.
- 39.Schmacker, B. and O. Boettger. 1891. Neue Materialien zur Charakteristik und geographischen Verbreitung chinesischer und japanischer Binnen-conchylien. II. Nachrichtsblatt der Deutschen Malakozoologischen Gesellschaft 23:145-194. 40.Shimizu Y. and R. Ueshima. 2000. Historical biogeography and interspecific mtDNA introgression in *Euhadra peliomphala* (the Japanese land snail). Heredity 85:84-96. 41.Sinakawa, K. 1979. Note on *Pancala batanica pancala* and *P. bacca*. Kainakama 13:4-6. 42.Tabe, M. 1937. Morphological study of *Coniglobus batanicus pancalus* (Schmacker and Bottger) and *C. b. boteltobagoensis* Kuroda and on the systematic position of the genus *Coniglobus*. Zoological Magazine 49:12-20. 43.Tamura K., D. Peterson, N. Peterson, G. Stecher, M. Nei and S. Kumar. 2011. MEGA5: Molecular Evolutionary Genetics Analysis using Maximum Likelihood, Evolutionary Distance, and Maximum Parsimony Methods. Molecular Biology and Evolution 28: 2731-2739.
- 44.Thompson, J. D., D.G.. Higgins and T. J. Gibson. 1994. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, positions-specific gap penalties and weight matrix choice. Nucleic Acids Research 22:4673-4680. 45.Ueshima, R. and T. Asami. 2003. Single-gene speciation by left – right reversal. Nature 425: 679-679. 46.Wu, S. P., C. C. Hwang and Y. S. Lin. 2008. Systematic Revision of the Arboreal Snail *Satsuma albida* Species Complex (Mollusca: Camaenidae) with Descriptions of Fourteen New Species from Taiwan. Zoological Journal of the Linnean Society 154: 437-493. 47.Xia, X. and Z. Xie. 2001. DAMBE: Data analysis in molecular biology and evolution. Journal of Heredity 92:371-373.