Special Dietary Food: Current Situation and Development of Tube Feed Formula

許三安、陳鴻章:王維麒

E-mail: 9115135@mail.dyu.edu.tw

ABSTRACT

ABSTRACT In recent years, because of the improvement of the economic, people in Taiwan now concern more about their daily diet. Consequently, Taiwanese 's idea toward what is nutritional is changing, and the quantity and quality of patients 'nutritional care has been improving greatly. Besides, the decrease of birth rate, the inadequate doctor visiting times as well as the drug abuse resulted in the aging of the society and the increase of the long term chronic diseases. Facing these changes, the government hospitals and the clinics are doing their best to expand the chronic disease wards and health care institutions. In order to take care of the nutritional problems of the acute and chronic diseases patients after the surgery or with the diabetes and renal disease, the Bureau of National Health Insurance developed a special co-payment policy as it first established. It shows the effort the government has improved the patients 'nutritional care. Hence, providing a complete and balance nutritional supplement product to the health care professionals is imminent. This study has a entire structure to introduction into the requirement in the market of tube-feeding nutriment — the special nutritious food used by the domestic patients, and the information gathered such as the change of old-people population, number of sickbeds, number of home nursing organizations, and the amount for use in the past years. The results show that the society formalize of this country did enter into senile society in 1993 and the number of people above the age of 65 was as high as 1,870,000 in 1999, accounting for 8.4% of the total population. The number of sickbeds in domestic hospitals and clinics had also increased from 45.1 in 1991 to 56.8 per 10,000 persons. The number of home nursing organizations had increased from 125 in 1986 to 299. According to the data provided by Directorate General of Customs, Ministry of Finance, the amount of importing this kind of products had increased from US\$20,259,689 in 1995 to US\$28,506,696 in 2000. It is further revealed from the data provided by Central Health Insurance Bureau that payment for tube-feeding food for hospitalized patients had increased 25% annually on the average from 1996 to 2000. The above results have informed us that this market is developing prosperously. Therefore, we hope that these results of study will serve as a reference in the lead operation for those senior traders in food and nutriment industries in this country who intend to develop this product. Key Words: Enteral Nutrition, Special Food, Registration

Keywords: Enteral Nutrition; Special Food; Nutrition; Registration

Table of Contents

目錄 封面內頁 簽名頁 授權書 iii 中文摘要 v 英文摘要 vi 誌謝 vii 目錄 viii 圖目錄 x 第一章 前 言 ix 表目錄 1 第二章研究動機 3 第三章 研究方法 5 第四章 綜合分析 6 1. 背景 分析 61.1 營養相關問題探討 61.1.1 醫院相關的營養不良 61.1.2 營養不足所造成的傷口癒合不易 71.1.3 健康者和新陳代謝方面受壓力的患者之營養須要 91.1.4 老年人 的營養不良或異常現象 91.2 管灌飲食之簡介101.2.1 管灌配方之組成111.2.2 管灌配方之特性131.2.3 管灌配方之型態 15 1.2.4 管灌配方應用之指標 17 1.2.5 管灌路徑 17 1.2.6 管灌之原則 17 1.2.7 管灌食的給食方法 18 1.2.8灌食管、灌食袋與灌 食幫浦的認識 19 1.2.9 使用幫浦的考量 20 1.2.10 Ready to hang 灌食方式 20 2. 現況分析 22 2.1 市售配 方成品之分類 22 2.2 生命統計 38 2.3 十大死因 38 2.4 39 2.5 臺閩地區老人安養照護概況與統計 老年人口指標統計 45 2.6 台灣地區醫療院所病床數分析統計 60 第五章 結 論 52 2.7 台灣地區歷年特殊營養食品進口貿易統計 52 2.8管灌飲食支付標準 74 圖目錄 圖一 台灣地區歷年特殊營養食品進口貿易統計曲線圖....... 66 圖二 年度健保住院管灌食給付金額及歷年病床數統計曲線圖 68 表目錄 表一 材質、管徑、長度比較...................................

44 表十二 護理之家成長情	5形	49 表十三 居家照護成長情形	
機構式長期照	《護需求推估表	50 表十五 居家式及社區式長期]照護需求推
估表51 表十六 台灣地區醫	^{备療院所病床數分析統計}	53 表十七 專供病患用之合原	
營養食品54 表十八 病人用均	均質混合調製食品	55 表十九 高蛋白質調配	食品
56 表二十 依述	<mark></mark>	食及特殊營養食品 57 表二十一 依途	圭口國家統計
病人用均質混合調製食品58	表二十二 依進口國家統計高蛋白質	調配食品59 表	二十三 管灌
飲食費用	61 表二十四 台灣地區歷年特	殊營養食品進口貿易統計	. 65 表二十五
年度健保住院管灌食給付金額	67 表二十六 特殊營養食	品查驗登記清冊	69

REFERENCES

參考文獻 1.王秀媛 (1998) 腸道營養配方設計。居家照護營養專業人員培訓,中國 醫藥學院附設醫院,台中,pp. 1-3。 2.行政院主計處 (1999) 醫療保健。社會指標統計,行政院主計處,台 北,pp. 5-6。 3.行政院衛生署 (1993) 老人慢性疾病預防。衛生白皮書,行政院衛生 署,台北,pp. 58-59。 4.行政院衛生署 (1994) 中華民國飲食手冊,行政院衛生署,台北,pp. B9-1。 5.行政院衛生署 (2000) 全民健康保 險醫療費用支付標準,上冊,行政院 衛生署,台北,pp. 10-11。 6.行政院衛生署 (2000) 醫療院所病床。衛生統計動向,行政院衛生署, 台北,pp. 3-8。 7.行政院衛生署 (2001) 老年人口主要指標分析。內政統計分析專輯,行 政院衛生署,台北,pp. 244-245。 8.行政院衛生 署 (2001) 臺閩地區老人狀況調查摘要分析。內政統計分析 專輯,行政院衛生署,台北,pp. 549-551。 9.行政院衛生署(2001) 管灌飲食。 病人用特殊營養食品查驗登記。(網 址: http://food.doh.gov.tw/) 10.行政院衛生署(2000) 台灣地區歷年縣市別出生數(民國49年至87 年) 。 婦幼衛生之主要統計,行政院衛生署,台北,pp. 14。 11.周聰成、陳冠如、陳雪美、陳麗珍、彭巧珍、蔡秀玲、蔡淑芳 (1996) 營養的支 持方法。應用膳食療養學,藝軒圖書有限公司,台北,pp. 343-369。 12.林錫璋、陳炯瑜、莊喬雄、高愛文、彭巧珍 (2001) 腸道生理與 灌食 路徑配備認識。靜脈腸道營養支持手冊第一輯,中華民國靜脈暨腸道營 養醫學會,台北,pp. C9-13。 13.行政院衛生署 (1998) 81-86年國民營養健康狀況變遷調查結果。國民 營養現況,行政院衛生署,台北。 14.章樂綺、殷梅津、彭巧珍、王麗民、張秋娥、林宜 芬、穆懷玲、鄭金 寶、楊雀戀、陳珮蓉、歐陽鍾美、藍潔 (1997) 腸道營養供給。實用膳 食療養學, 匯華圖書出版有限公司, 台北, pp. 237-252。 15.彭巧珍 (2001) 認識腸道配方及其適用疾病。靜脈腸道營養支持手冊 第一輯,中華民國靜脈暨腸道營養醫學會,台北,pp. A1-22。 16.黃玲珠 (1995) 管灌食。膳食療養學,華杏出版公司,台北,pp. 371-380。 17.經濟部 (2001) 進出口統計。經貿統計,經濟部 關稅總局。(網 址: http://cus.moeaboft.gov.tw/cgi-bin/pbisa60.dll/customs/uo_ base / of_start) 18.廖廣義、林仁混、王作仁、吳妍華、李源 德、林信男、徐茂銘、許輝 吉、盧國賢、藍忠孚、蕭水銀 (1988) 外科營養學。聯經出版社,台 北,pp. 180-226。 19.譚開元、蔡誾誾、 陳秀玫 (2001) 老人長期照護發展現況及新世紀醫 療網-長期照護之規劃。長期照護雜誌,5(1):1-12。 20.Ang, K. P. and Petrell, R. J. (1998) Pellet wastage and subsurface and surface feeding behaviours associated with different feeding systems in sea cage farming of salmonids. Aquacultural Engineering. 18(2): 95-115. 21.Bach, A. C., Babayan, V. K. (1982) Medium chain triglycerides: An update, Am. J. Clinical Nutrition. 36: 950- 962. 22.Barton, R. G. (1994) Nutrition Support in Critical Illness. Nutrition in Clinical Practice, 9(4): 127-139. 23.Behrns, K. E., Sarr, M. G., Hanson, R. B. and Zinsmeister, A. R. (1998) Canine small bowel motor patterns and contraction are not neurally regulated during enteric nutrient infusion, American Journal of Physiology, 274(5 pt 1); G912-22, 24, Burtis, G. (1988) Applied Nutrition and Diet Therapy, W. B. Saunders Company, Philadelphia, pp. 347-409. 25.Buzdy, K. M. (1990) Overview, Screening, in Nutrition Management of the Cancer Patient. ASPEN Publishers, New York, pp. 18-19. 26. Cupta, K. L., Dworkin, B. and Gambert, S. R. (1988) Common nutritional disorders in the elderly: atypical manifestations. Geriatrics, 43(2): 88-97. 27. Deitch, E. A. (1994) Bacterial translocation: the influence of dietary variables. Gut. 35(1 Suppl): S23-7. 28. Douglas, C., Heimburger and Roland, L. (1996) Handbook of Clinical Nutrition. Mosby, Philadelphia, pp. 130-131. 29. Fredstrom, S. (1998) Carbohydrate. In: Contemporary nutrition support practice-a clinical guide. WB Saunders, P hiladelphia, pp. 35-48. 30. Hu, X. and Jacobi, A. M. (1998) Departure-site spacing for liquid droplets and jets falling between horizontal circular tubes. Experimental Thermal and Fluid Science, 16(4): 322-331. 31.John, L. R., Rolando, H. R. (1997) Clinical Nutrition Enteral and Tube Feeding. W. B. Staunders Company, Philadelphia, pp. 324-333. 32. Krause, M. V. (1984) Food Nutrition and Diet Therapy. W. B. Staunders Company, Philadelphia Pennsylvania, pp. 689-715. 33. Locker, G. J., Staudinger, T., Knapp, S., Burginann, H., Laczika, K. F., Zimmerl, M., Honnann, M. and Frass, M. P. M. (1998) Assessment of the Proper Depth of Endotracheal Tube Placement with the Trachlight. Journal of Clinical Anesthesia. 10(5): 89-393. 34. Mayo Clinic Diet Manual (1981) A Handbook of Dietary Dietetics, 5th ed. W. B. Staunders Company, Philadelphia, pp. 22-30. 35. Meadjohnson (1989a) Advances in the Field of Nutritional Support. Enteral Nutrition, Mead Johnson Company, Evansville, Indiana, pp. 1-19. 36. Meadjohnson (1989b) Introduction. Enteral Nutrition, Mead Johnson Company, Evansville, Indiana, pp. 1-2. 37. Meadjohnson (1989c) Trends in Nutritional Support. Enteral Nutrition, Mead Johnson Company, Evansville, Indiana, pp. 9-13. 38. Muller, J. M., Thul, P., Halber, M. and Huber, P. (1988) Parenteral nutrition in tumor patients. Recent Results in Cancer Research. 108:185-93. 39. Robinson and Corinne, H. (1982) Normal and Therapeutic Nutrition 16th ed. Macmillan, New York, pp. 435-436. 40. Rombeau, J. L. and Caldwell, M. D. (1984) Complications and their prevention in: Enteral and Tube Feeding, W. B. Saunders Company, Philadelphia, pp. 542-565. 41. Shils, M. (1988) Modern Nutrition in Health and Disease, 7th ed. William and Wilkins, Philadelphia, pp. 1023-1066. 42. Stricker-Krongrad, A., Burlet, C. and Beck, B. (1998) Havioral deficits in monosodium glutamate rats: specific changes in the structure of feeding behavior. Life Sciences Including Pharmacology Letters. 62(23): 2127-2132. 43. Wang, N., Hayward, R. S. and Noltie, D. B. (1998) Effect of feeding frequency on food consumption, growth, size variation, and feeding pattern of age-0

hybrid sunfish. Aquaculture, 165(3-4): 261-267.