

應用於車輛防撞之測距系統

許幼岳、劉仁俊；陳木松

E-mail: 9121566@mail.dyu.edu.tw

摘要

智慧型車輛為現代車輛工業發展的主流，而車與車或前方物體的距離是行車時重要的安全指標。本論文主要研究影像測距和雷射測距，提升車輛防撞系統的功能。在雷射測距方面，我們使用現有的雷射測距設備，可以透過任何具有RS232介面的電腦或德州儀器的TMS320C6211 DSK來控制與讀取資料。模擬結果中將展示實車測試成效。在影像測距方面，我們使用單鏡頭散焦測距法。利用實際物體與光學鏡頭成像之間的幾何關係建立鏡頭的數學模型。由於影像的模糊會受到光圈與焦距的影響，所以可藉由影像的模糊程度計算出光圈或焦距與物體距離的關係。此外我們提出最小平方誤差法修正原本的單鏡頭散焦測距法，並得到良好的結果。

關鍵詞：影像測距；雷射測距；車輛防撞；單鏡頭散焦測距法；最小平方誤差法

目錄

封面內頁簽名頁博碩士論文電子檔案上網授權書.....	iii	博碩士論文授權書.....	iv	中文摘要.....	v	ABSTRACT.....	vi	誌謝.....	vii	目錄.....	viii	圖目錄.....	x	表目錄.....	xii																																								
第1章緒論.....	1	1.1 研究動機.....	1	1.2 研究背景.....	2	1.3 研究方法.....	4	1.4 論文架構.....	4	第2章雷射測距.....	6	2.1 雷射測距原理.....	6	2.2 硬體設備.....	8	2.3 介面電路.....	10	2.4 DSK 對雷射測距槍之控制.....	13	第3章單鏡頭散焦測距法.....	25	3.1 鏡頭系統的幾何關係式.....	25	3.2 點擴散方程.....	27	3.3 散焦重建函數.....	30	3.4 擴散參數之推導.....	34	3.5 以最小平方誤差法修正之擴散參數.....	36	第4章電腦模擬與實作.....	43	4.1 雷射測距與介面控制之結果.....	43	4.1.1. 電腦控制的方式與結果.....	43	4.1.2. 介面電路測試.....	47	4.1.3. DSK 的控制方式與討論.....	49	4.2 影像測距之結果與討論.....	51	4.2.1. 擴散參數公式驗證.....	52	4.2.2. 實際距離測試結果.....	63	第5章結論.....	69	5.1 結論.....	69	5.2 未來研究方向.....	70	參考文獻.....	71

參考文獻

- [1] 陳鏡中, "自走車系統之障礙物檢測與位置資料之建立," 成大工程科學系碩士論文
- [2] Wolfgang Ludge, Anke Ludge, "High resolution distance measurement of laser-induced diffraction signals by digital signal processing," IEEE Conference on Instrumentation and Measurement Technology, PP. 492—495, 1993
- [3] F. Chavand, E. Colle, Y. Chekhar, E. C. Ni, "3-D Measurements Using a Video Camera and a Range Finder," IEEE Transactions on Instrumentation and Measurement, Vol. 46, No. 6, PP. 1229—1235, Dec. 1997.
- [4] Kai-Tai Song, Wen-Hui Tang, "Environment Perception for a Mobile Robot Using Double Ultrasonic Sensors and a CCD Camera," IEEE Transactions on Industrial Electronics, Vol. 43, No. 3, June 1996.
- [5] Subhudev Das, Narendra Ahuja, "A Comparative Study of Stereo, Vergence, and Focus as Depth Cues for Active Vision," IEEE Conference on Computer Vision and Pattern Recognition, PP. 194—199, 1993.
- [6] Grosso E., Tistarelli M., "Active/Dynamic Stereo Vision," IEEE Transactions on Pattern Analysis and Machine Intelligence, Vol. 17 9, pp. 868-879, Sept. 1995.
- [7] Kazunori UMEDA, Tamio ARAI, "Industrial Vision System by Fusing Range Image and Intensity," Proceedings of the IEEE International Conference on Multisensor Fusion and Integration for Intelligent Systems, 1994.
- [8] Herbert Freeman, "Machine Vision for Inspection and Measurement," 1989.
- [9] A. N. Rajagopalan and S. Chaudhuri, "A Block Shift-variant Blur Model for Recovering Depth from Defocused Images," Proceedings of International Conference on Image Processing, Vol. 3, PP. 636—639, 1995.

- [10] S. H. Lai and C. W. Fu, "A Generalized Depth Estimation Algorithm with a Single Image," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 14, No. 4, PP. 405—411, April 1992.
- [11] M. Subbarao, "Depth Recovery from Blurred Edges," *Proceedings of CVPR '88*, PP. 498 —503, 1988.
- [12] M. Subbarao, N. Agarwal, G. Surya, "Application of Spatial-Domain Convolution/Deconvolution Transform for Determining Distance from Image Defocus," *Tech Report No. 92.01.18*, Computer Vision Laboratory, Dept. of Electrical Engineering, Stony Brook University, NY 11794-2350, 1992.
- [13] M. Subbarao, T. C. Wei "Depth from Defocus and Rapid Autofocusing: A Practical Approach" *Proceedings CVPR '92*, PP:773 —776, 1992.
- [14] M. Subbarao, "Focused Image Recovery from Two Defocused Images Recorded with Different Camera Settings," *IEEE Transactions on Image Processing*, Vol. 4, No. 12, PP. 1613—1628, December 1995.
- [15] M. Subbarao, "Accurate Recovery of Three-Dimensional Shape from Image Focus" *IEEE Transactions on pattern Analysis and Machine Intelligence*, Vol. 17 No.3 March 1995.
- [16] Mudenagudi, U.; Ghaudhuri, S. "Depth estimation using defocused stereo image pairs," *IEEE Conference on Computer Vision*, Vol.1, PP 483 —488, 1999 [17] Jih-Jian Leu, Yi-Ping Hung, Chin-Hsing Chen "Depth From Defocus Images," *Department of Electronic Engineering, National Chen Kung University, Tainan, Taiwan, R.O.C.*
- [18] Adolf W. Lohmann, David Mendlovic, and Zeev Zalevsky, "Digital method for measuring the focus error," *APPLIED OPTICS*, Vol. 36, No. 28/1 October 1997.
- [19] Cassandra Swain, Alan Peters and Kazuhiko Kawamura, "Depth Estimation from Image Defocus using Fuzzy Logic," *IEEE Conference on Fuzzy Systems*, Vol.1, PP. 94 —99, 1994.
- [20] Raveh, D. Mendlovic, Z. Zalevsky, "Digital method for defocus corrections: experimental results," *Society of Photo-Optical Instrumentation Engineers*, 1999.
- [21] Jih-Jian Leu, Yi-Ping Hung, Chin-Hsing Chen, "Depth Recovery From Defocus Images," *Institute of information Science, Academia Sinica, Nankang*, 1992.
- [22] Klarquist, W.N., Geisler, W.S., Bovik, A.C. "Maximum-likelihood depth-from-defocus for active vision," *IEEE Conference on Intelligent Robots and Systems 95*, Vol.3, PP.374-379, 1995.
- [23] M. Gokstorp, "Computing Depth from Out-of-focus Blur Using a Local Frequency Representation," *IEEE Conference on Pattern Recognition*, Vol. 1, PP. 153-158, 1994.
- [24] Code Composer Studio User's Guide, (TI Literature Number: SPRU328B) [25] TMS320C6000 Peripherals Reference Guide, (TI Literature Number: SPRU190C) [26] TMS320C6000 DSP/BIOS User's Guide, (TI Literature Number: SPRU303B) [27] Setting Up TMS320C6201 Interrupts In C, (TI Literature Number: SPHA001) [28] TMS320C6211/C6711 DSK Online Help, (TI Literature Number: SPRH115) [29] 王逸如、陳信宏編著, "數位控制處理之新利器," 全華科技圖書股份有限公司, 2000年 [30] 林宗宏, "RS-232入門淺論," 儒林出版社, 1990 [31] Using a TMS320C30 Serial Port as an Asynchronous RS-232 Port, (TI Literature Number: SPRA240) [32] Win32s Programmer's Reference Online Help, Microsoft Corp.
- [33] 張皓傑, "Borland C++ Builder 4.0程式設計," 和碩科技, 1999 [34] 連國珍, "數位影像處理", 儒林, 1993 [35] 繆紹綱, "數位影像處理—活用Matlab", 全華, 1999 [36] 張智星, "Matlab 程式設計與應用", 清蔚科技, 2000 [37] Du-Ming Tsai, Chin-Tun Lin, "A Moment-Preserving Approach For Depth From Defocus," *Pattern Recognition*, Vol. 31, PP.551-560, 1998