

Examining Building of Low Environmental Impact Housing Reduces Waste Appraisal--Case Study of the Green Building of Nant

劉穎聰、黃俊熹

E-mail: 9314413@mail.dyu.edu.tw

ABSTRACT

After 9/21 Chi-Chi earthquake disaster. The reconstruction will end finish on the fourth anniversary. Many who experienced heavy losses, including their homes, will also be re-housed in the new construction style, because the reconstruction process just happened to coincide with the initial stage of the domestic green construction development. Many green constructions extend approach involving the new domestic housing block plans built to approved green standards. The need to avoid worsening environmental pressures due to previous intensive industrial development was kept in mind was uppermost in designers' minds. This research investigates our national green construction industry to assess "EEWH" the waste reduction system. Waste Reduction is the appraisal method, by which the carbon dioxide decrement and the brings the environment back into balance, this research discusses whether the new Taiwanese construction process achieves the goal of a low environmental loading. As well as the research techniques, which are part of the rationale, the study carries on the carbon dioxide decrement, and reject decrements in the related literature discussion; However the research analysis used material obtained from 29 investigations into new-built housing. By using narration statistics the method carries on a thorough analysis, seeking to understand how the new-built housing measures up to the construction standards. This study also made some useful discoveries and suggests improvements. Experimental results reveal first, that the construction industry does not view ecological and green construction standards appropriately and induces, the classification by took of basic data the following research, The study also introduces a classification system which aims at reducing the target group of waste products by obtaining further analytical results and finally produces suggestions for dealing with waste products in the future. It is hoped that if time allows more thorough research this study will become the basis of a complete reference work.

Keywords : Green building ; CO2 mitigation ; waste mitigation

Table of Contents

目錄 封面內頁 簽名頁 授權書.....	? 中文摘要.....
.....? 英文摘要.....	? 誌謝.....
.....? 目錄.....	? 圖目錄.....
.....?? 表目錄.....	?? 第一章 緒論.....
1.1 研究背景.....	2 1.2 研究動機.....
目的.....	5 1.4 名詞解釋.....
.....12 1.6 預期成果.....	9 1.5 研究架構與流程.....
.....18 2.1.1 我國綠建築相關訂定.....	16 第二章 文獻回顧 2.1 綠建築.....
.....21 2.1.3 各國綠建築評估指標工具.....	19 2.1.2 綠建築的起源.....
2.1.5 我國綠建築發展現況.....	22 2.1.4 各國綠建築案例現況.....
」評估體系.....	25
.....31 2.1.6 小結.....	34 2.2 我國綠建築「減廢
.....35 2.2.1 二氧化碳減量指標目的.....	36 2.2.2 二氧化碳減量指標規範.....
.....37 2.2.3 二氧化碳減量指標評估.....	40 2.2.4 廢棄物減量指標目的.....
.....42 2.2.5 廢棄物減量指標規範.....	41 2.2.5 廢棄物減量指標規範.....
.....42 2.2.6 廢棄物減量指標評估.....	45 2.2.7 小結.....
.....48 2.3 綠住宅設計相關理論回顧.....	49 2.3.1 台灣市場設計原則.....
.....50 2.3.2 適當技術的原則.....	53 2.3.3 源頭管制的原則.....
.....55 2.3.5 簡樸的建築美學.....	54 2.3.4 本土化行動的原則.....
.....56 2.3.6 小結.....	56 2.3.6 小結.....
.....57 2.4 建築物與營建團隊參與者關係.....	58 2.4.1 营造廠的施工.....
2.4.2 建築師的設計.....	61 2.4.3 消費者的觀念.....
.....65 2.4.4 小結.....	66 2.5 衝擊負荷及綠色消費態度.....
.....68 2.5.2 國內建築物廢棄物衝擊.....	68 2.5.1 國內建築物二氧化碳衝擊.....
小結.....	72 2.5.3 消費者支付意願態度.....
.....76 第三章 研究調查流程及分析模式之擬定 3.1 研究範圍之界定.....	74 2.5.4
.....78 3.2 研究內容與方法.....	81 3.3 研究限制.....
.....83 3.4 調查分析流程.....	85 3.5 減廢評估指標之基本資料建立.....
	87 3.6

調查分析模式之擬定.....	91 第四章 實證研究調查與調查結果分析 4.1 實證研究調查樣本之界定...
.....93 4.2 九二一南投縣住宅基本資料建立分析.....	101 4.3 九二一南投縣住宅「二氧化碳減量」現況分析.....
.....113 4.3.1 九二一南投縣新建住宅「二氧化碳減量指標」評估.....	116 4.3.2 各住宅「形狀係數」、「輕量化係數」、「結構系統係數」、「非金屬建材使用率」評估說明.....
.....119 4.3.3 研究樣本敘述統計二 氧化碳排放係數、形狀係數、輕量化係數、結構系統係數結果.....	122 4.3.4 研究調查樣本之分析歸納.....
.....123 4.4 九二一南投縣住宅「二氧化碳減量」指標評估水準影響因子分析.....	125 4.4.1 形 狀係數 (F)
.....125 4.4.2 結構系統係數 (S)	128 4.4.3 輕量化係數 (W)
.....128 4.4.4 非金屬建材使用率影響因子 (R)	130 4.4.5 「二氧化碳減量」營建生產循環 關係表.....
.....131 4.5 九二一南投縣住宅「廢棄物減量」現況分析.....	133 4.5.1 九二一南投縣新建住宅「廢棄物減量指標」 評估.....
.....136 4.5.2 各住宅「工程不平衡土方比例」、「施工廢棄物比例」、「拆除廢 棄物比例」、「施工空氣污染比例」評估說明.....	139 4.5.3 研究樣本敘述統計營建污染指標與工程不 平衡土方量、施工廢棄物、拆除廢棄物、施工空氣污染等結果.....
.....143 4.5.4 研究調查樣本之分析 歸納.....	144 4.6 九二一南投縣住宅「廢棄物減量」指標評估水準影響因子分析.....
.....146 4.6.1 工程不平衡土方比例 (Ple)	146 4.6.2 施工廢棄物比例 (Plb)
.....148 4.6.3 拆除廢棄物比例 (Pld)	150 4.6.5 「廢棄物減量」營建生產循環關係表.....
.....152 4.7 九二一南投縣住宅「減廢指標群」整體現況.....	154 第五章 結論與建議 5.1 研究 結論.....
.....158 5.2 研究建議.....	164 5.3 後續研究之建 議.....
.....168 參考文獻.....	170 附錄一 二 氧化碳減量指標評估表2003年版.....
.....175 附錄二 廢棄物減量指標評估表2003年版.....	177 附錄三 二 氧化碳減量相關變數查詢表.....
.....179 附錄四 廢棄物減量相關變數查詢表.....	184 附錄 五 調查樣本基本圖面與現場照片.....
.....186 附錄六 調查樣本二 氧化碳減量計算詳表.....	216 附錄七 調查樣本廢棄物減量計算詳表.....
.....246 圖目錄 圖1.1 大氣二 氧化碳濃度與地球平均氣溫上 升圖.....	4 圖1.2 台灣相關產業二 氧化碳排放比例圖.....
.....6 圖1.3 建築產業二 氧化碳排放量比例圖.....	6 圖1.4 研究流程圖.....
.....15 圖2.1 綠建築設計三大範疇圖.....	33 圖2.2 RC與SC CO2排放量比較圖.....
.....37 圖2.3 廢棄物減量實行適意 圖.....	42 圖2.4 RC、SC建物生命週期總體耗能比較圖.....
.....70 圖2.5 RC、SC建物生 命週期總體耗能比較.....	71 圖3.1 調查流程圖.....
.....86 圖4.1 調查樣本 鄉鎮市百分比圖.....	97 圖4.2 調查樣本鄉鎮市分佈圖.....
.....99 圖4.3 住 宅樣本基地面積關係圖.....	103 圖4.4 住宅樣本建築面積關係圖.....
.....104 圖4.5 住宅樣本工程造價關係圖.....	105 圖4.6 住宅樣本基礎型式比例圖.....
.....108 圖4.7 住宅樣本主體建材比例圖.....	109 圖4.8 住宅樣本工程不平衡土方量關係圖.....
.....110 圖4.9 二 氧化碳減量合格比例圖.....	115 圖4.10 建築物軀體CO2排放係數分析圖.....
.....118 圖4.11 形狀係數分析圖.....	120 圖4.12 輕量化係數分析圖.....
.....121 圖4.13 結構系統係數分析圖.....	122 圖4.14 廢棄物減量合格比例圖.....
.....136 圖4.15 營建污染指標分析圖.....	122 圖4.14 廢棄物減量合格比例圖.....
.....138 圖4.16 工程不平衡土方比例分 析圖.....	140 圖4.17 施工廢棄物比例分析圖.....
.....141 圖4.18 拆除廢棄物比例 分析圖.....	142 圖4.19 施工空氣污染比例分析圖.....
.....143 圖4.20 減廢評估 指標群合格比例圖.....	157 表目錄 表2.1 綠建築評估指標系統與地球環境的關係.....
.....18 表2.2 各國綠建築評估指標工具.....	23 表3.1 樣本研究限制項目.....
.....84 表3.2 樣本研究相關數據限制.....	84 表4.1 蔊集獨棟與雙併住宅樣本一覽表.....
.....94 表4.2 非南投縣住宅樣本一覽表.....	95 表4.3 南投縣獨棟與雙併住宅樣本一覽表.....
.....96 表4.4 南投縣建築物損壞統計表.....	98 表4.5 調查樣本鄉鎮市百分比.....
.....99 表4.6 調查樣本鄉鎮市分佈對照表.....	100 表4.7 樣本住宅基礎資料一覽表 (一)
.....102 表4.8 樣本住宅基礎資料一覽表 (二)	107 表4.9 樣本住宅基礎資料分析 表 (一)
.....111 表4.10 樣本住宅基礎資料分析表 (二)	112 表4.11 二 氧化碳減量評估樣本合格表.....
.....114 表4.12 二 氧化碳減量合格百分比.....	115 表4.13 二 氧化碳減量各項係數數值表.....
.....117 表4.14 二 氧化碳減量指標敘述統計分析.....	123 表4.15 「二 氧化碳減量」營建生產循環關係表.....
.....132 表4.16 廢棄物減量評估樣本合格表.....	134 表4.17 廢棄物減量合格百分比.....
.....135 表4.18 廢棄物減量各項係數數值表.....	137 表4.19 廢棄物減量指標敘述統計分析.....
.....144 表4.20 「廢棄物減量」營建生產循環關係 表.....	153 表4.21 減廢指標群評估樣本合格表.....
.....155 表4.22 減廢評估指標群合格百分 比.....	156

REFERENCES

參考文獻 中文文獻 1.內政部營建署（2001），台閩地區營建統計年報，台北。2.內政部建築研究所（2003），建築解說與評估手冊2003更新版，頁23-25、頁85-105，內政部建築研究所，台北。3.內政部建築研究所（2001），建築解說與評估手冊2001更新版，頁20-23、頁62-75，內政部建築研究所，台北。4.內政部建築研究所（2000），綠建築設計技術彙編，頁141-166，內政部建築研究所，台北。5.林憲德（2003），溫濕氣候的綠色建築，頁17-20、頁23-37、頁47-53、頁56-58、頁73-75、頁90-91、頁144-149、頁206-207、頁415-448，詹氏書局，台北。6.林憲德、許宗熙、楊冠雄、蔡尤溪、李碩重、周家鵬、黃國泰、賴榮平（1996），建築節約能源基本教材，內政部建築研究所專題研究計劃成果報告，台北。7.林耀煌（1989），營建工程公害防治與管理措施，內政部建築研究所，台北。8.林盛隆、彭文正（2002），中部地區建築節能技術之問卷調查，朝陽科技大學環境工程與管理研究所專題研究報告。9.林盛隆、彭文正（2001），大台中地區營造業環境指標之調查研究，第十四屆環境規劃與研討會論文集，台中。10.建築技術規則（2003），建築技術規則建築設計施工編部分條文修正草案總說明，內政部營建署，台北。11.建築師（2000），中華民國建築師公會全國聯合會雜誌，8月號，頁99-105，建築師雜誌社，台北。12.徐任鋒（2003），綠建築評估指標用於大學校園環境之研究以逢甲、靜宜大學為例，逢甲大學建築及都市計劃研究所碩士論文。13.章裕民（1996），營建工程逸散粉塵推估與其污染防治措施評估研究報告，行政院環保署，台北。14.章裕民（1998），建築施工污染及廢棄物生產現況與調查架構研究，內政部建築研究所，台北。15.黃亮達（2001），綠建築推動因素與指標評估系統應用之研究，南華大學環境管理研究所碩士論文。16.黃榮堯（1998），建築拆除污染及廢棄物產生現況與調查架構研究，內政部建築研究所，台北。17.黃俊熹、劉穎聰（2003），綠建築在營建生產之實務應用探討，第六屆建築生產及管理技術研討會論文集，台南。18.陳錦賜（2001），環境共生思想體系與實務應用之探討 - 以台灣都市暨建築開發為例，永續建築環境研討會，台北。19.陳富強（2003），綠建築評估指標於南投縣921重建之國民中小學之應用，逢甲大學，建築及都市計劃研究所碩士論文。20.張瑞峰、何佳儒、廖信宏、石忠榮（2003），台中地區綠建築消費行為之調查研究，朝陽科技大學環境工程與管理研究所專題研究報告。21.張又升（2002），建築生命週期二氧化碳減量評估，成功大學建築研究所博士論文。22.張世典、林宗州、林憲德、周家鵬、郭斯傑、黃榮堯、羅時麟、廖慧燕、陸建華（1997），綠建築技術現況調查與未來發展規劃，內政部建築研究所專題研究計劃成果報告，台北。23.彭文正（2003），以生命週期評估技術應用於建築耗能之研究，朝陽科技大學環境工程與管理所碩士論文。24.溫雅貴（2003），綠建築標章應用在住宅類建築接受態度之研究，台灣大學土木工程研究所碩士論文。25.楊煦照（1996），建築物之耗能與環境衝擊解析，國立成功大學建築研究所碩士論文。26.鄭玉瑞（2000），從推動綠建築標章與環保標章談產業永續發展，鋼鐵資訊，第123期，頁9-17 27.蕭江碧（2001），台中的綠建築標章的授證禮致詞稿，內政部建築研究所，台中。28.賴明伸（2000），加拿大綠色旅館 - 建築物及電力平等制度，環保標章簡訊，第19期，頁19-21，台北。外文文獻 1. Ann, G. (2004) The Boston Business Journal. Sustainable design comes with singular maintenance concerns, Boston Apr 02, 24, Iss.9, pg.31. 2. Bill, A. (2002) The Boston Business Journal. Green building design catches on as cost-saver, Boston Jan 18, 21, Iss.50, pg.5. 3. Belinda, L (2002) Time New York. Staying cool is a breeze, Aug 26, 160, Iss.9, pg.A39. 4. Geoff, W (2003) Ohio Columbus, Green Living, Oct 01, 26, Iss. 8, pg.79. 5. Hung, E. (1997) Asiaweek. SPECIAL REPORT CITIES, Hong Kong Dec 5. 6. Matt, K (2002) The Boston Business Journal. Sustainable design and improved safety can go together, Boston MAy 31, 22, Iss.17, pg.33. 7. Wines, J. (2000) Green Architecture , Taschen, Italy. 8. Suzuki, M. and Oka, T. (1998) Estimation of life cycle energy consumption and CO₂ emission of office buildings in Japan, Energy and Buildings, 28, pg.33-41. 線上文獻 1.行政院環保署全球資訊網站，環保主題區永續發展資訊網，（2003）。< <http://ivy2.epa.gov.tw/NSDN/> > 2.綠建築 - 生態環保相關建材網，綠建築設計資料，（2003）。< <http://www.fuh3.com.tw/g-build.htm> > 3.生態工法網站，鄉村綠建築文章A，如何創造一個生態及環保兼備的綠房子系列一，（2004）。< <http://202.39.225.136/auser/d/EcoEM/index2.htm> >