

肥皂膜中震波渦流交互作用之可視化研究

吳為洲、溫志湧

E-mail: 9419523@mail.dyu.edu.tw

摘要

本論文分為兩個部份第一部份為”肥皂膜中震波渦流交互作用之可視化研究”；第二部份為”體外震波治療對兔子軟骨組織增生之探討”。第一部份的研究，是以低成本的”肥皂膜震波管”進行震波渦流交互作用的可視化研究，實驗方法是利用渦流產生機制與不同濃度之肥皂溶液，在皂膜震波管內產生渦流，並在震波與渦流交互作用時，以傳統單一照片之高速攝影術(Single-Shot High-Speed Flash Photography)來拍攝震波與渦流交互作用時的流場，並進行交互作用現象的可視化分析。第二部份是以動物實驗的方式，來探討體外震波治療儀對兔子軟骨組織修復的情形，研究中以16之紐西蘭白兔作為研究對象，以軟骨下骨鑽洞的方式模擬退化性關節炎，並以左腳為對照組不打震波，右腳為控制組施打震波，在施打震波後第4、8、12、24週犧牲，取其軟骨組織做組織檢查。結果發現，在巨觀檢查中，有施打震波的軟骨比沒施打震波的軟骨明顯較好；但在組織檢查並沒有太大的改變，反而有骨化的現象，值得以後深入探討。

關鍵詞：肥皂膜；震波；渦流；交互作用；體外震波；軟骨；修復

目錄

封面內頁 簽名頁 授權書

v 英文摘要

viii 目錄

xii 第一部份

2 1.1 前言

2 1.2.1 震波渦流交互作用之數值模擬

4 1.2.3 肥皂膜之相關研究

6 1.3 研究目的

方法與進行步驟

9 2.1 肥皂膜的基本物理性質

質

9 2.1.2 肥皂膜之穩定性與彈性

12 2.2.1 肥皂膜震波管系統

10 2.2 實驗設備

波與渦流交互作用實驗之照相系統

14 2.2.4 肥皂溶液之調製

12 2.2.2 渦流產生機制

13 2.2.3 震

18 第三章 結果討論

21 3.2 震波渦街交互作用

16 2.2.5 實驗步驟

第四章 結論

26 第二部份

29 1.1 前言

1.2.1 藥物治療方法

28 第一章 緒論

29 1.2 目前軟骨缺損的治療方法

30

33 1.2.5 人工全膝關節置換治療方法

30 1.2.2 Drilling、Microfracture和Abrasion治療方法

34 1.3 研究動機

31 1.2.3 自體軟骨細胞移植治療方法

33 1.2.6 體外震波治療

35 第二章 理論基礎

35 1.4 研究目的

36 2.1 軟骨的組成

36 2.2 組織的分層

36 2.3 軟骨的代謝

38 2.4 軟骨受傷的原因

40 2.7

39 2.5 體外震波治療儀之原理概述

39 2.6 體外震波的特性

43 3.1 研究

震波治療骨關節疾患的作用機制

40 第三章 研究方法與進行步驟

方法

43 3.1.1 實驗動物

43 3.1.2 實驗設備

44 3.1.3 手術器具

45 3.2 實驗步驟

47

45 第四章 結果與討論

46 4.1 巨觀檢查

50 參考

4.2 組織檢查

48 第五章 結論

文獻

51

參考文獻

- 第一部份 Ribner H S, (1985) " Cylindrical sound wave generated by shock-vortex interaction " AIAA J. 23, 1708.
- [2] Cetegen B M, Hermanson J C, (1995) " Mixing characteristics of compressible vortex rings interacting with normal shock waves " , Combustion and Flame 100, 232-240.
- [3] Hollingsworth M A, Richards E J, (1955) " A schlieren study of the interaction between a vortex and a shock wave in a shock tube " Aeronautical Research Council Rept, 17985, Fluid Motion Sub-Committee : 2323.
- [4] Hollingsworth M A, Richards E J, (1956) " On the sound generated by the interaction of a vortex and a shock wave " Aeronautical Research Council Rept, 18257, Fluid Motion Sub-Committee : 2371.
- [5] Dosanjh D S, Weeks T M, (1965) " Interaction of a Starting Vortex as well as a Vortex Street with a Traveling Shock Wave, " AIAA Journal, 3(2): 216-223.
- [6] Ellzey J L, Henneke M R, (1977) " The Shock-Vortex Interaction: The Origins of the Acoustic Wave, " Fluid Dynamics Research, 21: 171-184.
- [7] Ellzey J L, Henncke M R, Picone J M et al. (1995) " The interaction of a shock with a vortex : shock distortion and the production of acoustic waves " , Phys Fluid ,7:172-184.
- [8] Guichard L, Vervisch L, Domingo P, (1995) " Two-Dimensional Weak Shock-Vortex Interaction in a Mixing Zone. " J. AIAA, 33(10): 1797-1802.
- [9] Inoue O, Hattori Y, (1999) " Sound generation by shock-vortex interactions " , J Fluid Mech, 380: 81-116.
- [10] Chen H, Liang S M, (2002) " Planar Blast/Vortex Interaction and Sound Generation " The 25th National Conference on Theoretical and Applied Mechanics, 3527-3538.
- [11] McEntee W R, Mysels K J, (1969) " The Bursting of Soap Films. I. An Experimental Study. " J. Phys. Chem., 73(9): 3018-3027.
- [12] Frankel S, Mysels K J, (1969) " The Bursting of Soap Films.II. Theoretical Considerations. " J. Phys. Chem., 73(9): 3028-3038.
- [13] 梁乃悅, (1997) " 肥皂膜破裂之研究 " , 台灣大學博士論文.
- [14] Wen C Y, Chen Y M, Chang-Jian S K, (2001) " A Soap Film Shock Tube to Study Two-Dimensional Compressible Flows, " Experiments in Fluids, 31(1): 19-25.
- [15] Wen C Y, , Chang-Jian S K, Chuang M J, , (2003) " Analogy between Soap Film and Gas Dynamics. II. Experiments on One-Dimensional Motion of Shock Waves in Soap Films, " Experiments in Fluids, 34(2): 173-180.
- [16] 莊明傑, (2001) " 肥皂膜中之超音速流實驗研究 " , 大葉大學碩士論文.
- [17] Couder Y, Chomaz J M, Rabaud M, (1989) " On the Hydrodynamics of Soap Films. " Physica D 37: 384. 第二部份 Hunter W, " On the structure and diseases of articulating cartilage " , Phil Trans, 470:514-521, 1743.
- [2] Mankin H J, " The response of articular cartilage to mechanical injury " , J Bone Joint Surg, 64A: 460-466, 1982.
- [3] Buckwalter J A, Rosenberg L C, and E B Hunziker, (1990) " Articular cartilage: composition, structure, response to injury, and methods of facilitating repair. In: Ewing JW, ed. Articular Cartilage and Knee Joint Function: Basic science and Arthroscopy " , New York, Raven Press: 19-56.
- [4] Temenoff J S, Mikos A G.(2000) " Review: Tissue engineering of articular cartilage " Biomaterial, 21: 431-400.
- [5] Dounchis J S, Coutts R D, Amiel D, (2000) " Cartilage repair with Autogenic Perichondrium cell/ Polyactic Acid Grafts: A Two-Year Study in Rabbits " J Orthop Res, 18: 512-515.
- [6] Mierisch C M, Wilson H A, Turner M A, et al. (2003) " Chondrocyte transplantation into articular cartilage defect with use of calcium alginate: the fate of the cells " J Bone Joint Surg, 85:1757-1767 [7] Luger E J, Rockkind S, Wollman Y, et al.(1998) " Effect of low-power laser irradiation on the mechanical properties of bone fracture healing in rats " Lasers Surg Med, 22(2):97-102.
- [8] Morrone G, Guzzardella G A, Orienti L, et al. (1998) " Muscular trauma treated with a Ga-Al-As diode laser: in vivo experimental study " Lasers Med Sci, 13(4):293-298.
- [9] 賈雅麗, 郭周意, (2003)低強度激光誘導透明軟骨細胞增殖的初步研究 Journal of optoelectronics . Laser, 14:1002-1005.
- [10] Azuma Y, Ito M, Harada Y. et al. (2001) " Low intensity pulsed ultrasound accelerates rat femoral fracture healing by acting on the various cellular reactions in the fracture callus " J Bone Miner Res, 16:671-680.
- [11] 賈小林, 陳文直, 司海鵬, 王志彪, (2004) " 超聲對兔關節軟骨損傷的修復作用 " 中華創傷雜誌, 20(2): 97-99.
- [12] Pezzetti F, De Mattei M, et al., (1999) " Effects of pulsed electromagnetic fields on human chondrocytes: an in vitro study " Calcif Tissue Int.,65(5):396-401.
- [13] De Mattei M, Caruso A, et al., (2001) " Effects of pulsed electromagnetic fields on human articular chondrocyte proliferation " Connect Tissue Res. , 42(4):269-79.
- [14] Ogden J A, Toth-Kischkat A, Schultheiss R, (2001) " Principles of Shock Wave Therapy " Clin Orthop Relat Res., 387: 8-17.
- [15] Thiel M, (2001) " Application of Shock Waves in Medicine " Clin Orthop Relat Res.,387: 18-21.
- [16] Ogden J A, Alvarez R G, Levitt R, et al., (2001) " Shock Wave Therapy (Orthotripsy(R)) in Musculoskeletal Disorders " Clin Orthop Relat Res., 387: 22-40.
- [17] Helbig K, Herbert C, Schostok T, et al., (2001) " Correlations Between the Duration of Pain and the Success of Shock Wave Therapy " Clin

- Orthop Relat Res.,387: 68-71.
- [18] Rompe J D, Zoellner J, Nafe B, (2001) " Shock Wave Therapy Versus Conventional Surgery in the Treatment of Calcifying Tendinitis of the Shoulder " Clin Orthop Relat Res., 387: 72-82.
- [19] Schaden W, Fischer A, Sailler A, (2001) " Extracorporeal Shock Wave Therapy of Nonunion or Delayed Osseous Union " Clin Orthop Relat Res., 387: 90-94.
- [20] Ludwig J, Lauber S, Lauber H J, et al., (2001) " High-Energy Shock Wave Treatment of Femoral Head Necrosis in Adults " Clin Orthop Relat Res.,387: 119-126.
- [21] Morelli V, Naquin C, and Weave R V, (2003) " Alternative therapies for traditional disease states:osteoarthritis " , American Family Physician, 67(2):339-344.
- [22] Felson D T, Anderson J J, (2002) " Hyaluronate sodium injections for osteoarthritis: hope, hype, and hard truths " , Archives of Internal Medicine, 162(3):245-247.
- [23] Nonaka T, Kikuchi H , Ikeda T, et al., (2000) " Hyaluronic acid inhibits the expression of u-PA, PAI-1, and u-PAR in human synovial fibroblasts of osteoarthritis and rheumatoid arthritis " , Journal of Rheumatology, 27(4):997-1004.
- [24] Pridie K H, (1959) " A method of resurfacing osteoarthritic knee joint " , J Bone Joint Surg-British, 41:618-620.
- [25] Steadman J R, Rodkey W G, Rodrigo J J, (2001) " Microfracture: surgical technique and rehabilitation to treat chondral defects " , Clinical Orthopaedics & Related Research, 391 Suppl, : S362-S369.
- [26] Steadman J R, Rockey W G, Singleton S B, Briggs K K, (1997) " Microfracture technique for full-thickness chondral defects: technique and clinical results " , Operative Orthop, 7:294-299.
- [27] Johnson L L, (1986) " Arthroscopic abrasion arthroscopy. Historical and pathologic perspective: present status " , Arthroscopy, 2: 54-59.
- [28] Friedman M J, Berasi C C, Fox J M, Del Pizzo W, Snyder S J, Ferkel R D, (1984) " Preliminary results with abrasion arthroplasty in the osteoarthritic knee " , Clinical Orthopaedics & Related Research, 182:200-205.
- [29] Minas T, (2001) " Autologous chondrocyte implantation for focal chondral defects of the knee " , Clinical Orthopaedics & Related Research, 391 Suppl: S349-S361 [30] Oakes B W, (2004) " Orthopaedic tissue engineering: from laboratory to the clinic " MJA 180: S35-S38.
- [31] Wagner H, (1964) " Oper tive Behandlung der Osteochondrosis dissecans des " , Kniegelenks.Z Orthop, 98:333 – 335.
- [32] Imhoff A B, Ottl G M Ottl, Burkart A Burkart, Traub S, (1999) " Autologous osteochondral transplantation on various joints " , Orthopade, 28(1):33-44.
- [33] Jakob R P, Franz T, Gautier E, Mainil-Varlet P, (2002) " Autologous osteochondral grafting in the knee: indication, results, and reflections " , Clinical Orthopaedics & Related Research, 401: 170-184.
- [34] Holmes S W (2004) " Articular Cartilage Injuries in the Athlete ' s Knee: Current Concepts in Diagnosis andTreatment " Southern Medical Journal 97(8): 742-747.
- [35] Gross A E, Aubin P, Cheah H K, Davis A M, Ghazavi M T, (2002) " A fresh osteochondral allograft alternative " , Journal of Arthroplasty, 17(4) Suppl 1:50-53.
- [36] Hangody L, Feczkó P, Bartha L, Bodo G, Kish G, (2001) " Mosaicplasty for the treatment of articular defects of the knee and ankle " , Clinical Orthopaedics & Related Research, 391 Suppl: S328-S336.
- [37] Chaussy C, Schmiedt E, Jocham D, Brendel W, Forssmann B, Walther W, (1982) " First Clinical Experience with Extracorporeally Induced Destruction of Kidney Stones by Shock Waves, " Journal of Urology, 127: 417-420.
- [38] Chaussy C, Schmiedt E, Jocham D, Schuller J, Brendel H, Liedl B, (1984) " Extracorporeal Shock-Wave Lithotripsy (ESWL) for Treatment of Urolithiasis " , Urology, 93:59.
- [39] Valchanou V D, (1991) " High energy shock wave in the treatment of delayed and nonunion of fractures " Int Orth, 15: 181-184.
- [40] Levangie P K, Norkin C C, (2001) " Joint structure and function : a comprehensive analysis " 3rd ed, , FA Davis, 49-83.
- [41] Temenoff J S, Mikos A G, (2000) " Review: Tissue engineering of articular cartilage " Biomaterial, 21: 431-400.
- [42] Dounchis J S, Coutts R D, Amiel D, (2000) " Cartilage repair with Autogenic Perichondriumcell/ Polyactic Acid Grafts: A Two-Year Study in Rabbits " J Orthop Res., 18:512-515.
- [43] O ' Driscoll S W. (1998) " The healing and regeneration of articular cartilage " J Bone Joint Surg , 80-A: 1795-812.
- [44] Ewing J W, (1990) " Articular cartilage and knee joint function : basic science and arthroscopy / Bristol-Myers/Zimmer Orthopaedic Symposium " , Raven Press, 1-18, [45] Gunther M, Haubeck H D, et al. (1994) " Transforming growth factor beta 1 regulates tissue inhibitor of metalloproteinases-1 expression in differentiated human articular chondrocytes " , Arthritis & Rheumatism, 37:3:395-405 [46] Sturtevant B, (1996) " Shock Wave Physics of Lithotriptors " , in Smith ' s Textbook of Endourology, Quality Medical Publishing, Inc., 529-552.
- [47] Rompe J D, Kirkpatrick C J, Kullmer K, Schwitalla M, Krischek O, (1998) " Dose-related effects of shock waves on rabbit tendo Achillis. A sonographic and histological study " J Bone Joint Surg Br.80(3):546-52.
- [48] Seil R, Rupp S, Hammer D S, Ensslin S, Gebhardt T, Kohn D, (1999) " Extracorporeal shockwave therapy in tendonosis calcarea of the rotator cuff: comparison of different treatment protocols " Z Orthop Ihre Grenzgeb.137(4):310-5.
- [49] Haupt G, (1997) " Use of extracorporeal shock wave in treatment of pseudarthrosis, tendinopathy and other orthopedic diseases " , J Urol,

