

雷達軌道平滑化之研究

陳賜宗、鍾翼能

E-mail: 9507382@mail.dyu.edu.tw

摘要

雷達目標追蹤系統，在國防軍事上佔極重要的地位，它必須精準的分辨敵我目標。且需準確地鎖定目標的飛行方向及速度，以預測其攻擊或進行的目的地。為提昇追蹤的準確性，估算以前的資料，重新平滑化先前的飛行軌道有其必要性，其可提供追蹤系統更準確的估測能力。然而要儲存多目標的資料需相當大的記憶容量，因此吾人提出一種新的方法，利用類神經網路的運算方法，使目標物的歷史軌道維持完整，且也可減少記憶體的方法，此一方法可儲存大量的目標軌道資料，提昇雷達追蹤的準確性。

關鍵詞：目標追蹤系統；軌道平滑化；類神經網路

目錄

封面內頁 簽名頁 大葉大學碩士論文全文授權書	iii	中文摘要
iv 英文摘要	iv	v 謹謝
vi 目錄	vi	vii 圖目錄
ix 表目錄	ix	x 第
第一章 緒論 1.1 研究動機	1	1.1.2 研究方法
1.1.3 論文架構	1	2 第二章 雷達系統及其應用 2.1 前言
4.2.2 雷達設計系統概念、功能及相技術	4	5.2.3 雷達追蹤系統
8 第三章 濾波器原理 3.1 前言	8	9.3.2 卡門濾波器原理
9.3.3 卡門濾波器之性質	9	14 第四章 追蹤及平滑化理論堆導 4.1
前言	18	18.4.2 Gate技術
Step maximum a posterior probability	20	19.4.3 One
速度追蹤系統 5.1 前言	20	22 第五章 適應性變
26.5.2 變速追蹤理論與適應性程序	26	26.5.2 變速追蹤理論與適應性程序
第六章 電腦模擬 6.1 模擬方法	31	31.6.2 模擬目標追蹤
31 第七章 結論	31	40 參考文獻
41 圖目錄 圖1.1 研究架構流程圖	41	2 圖2.1 雷達系統示
意圖	8	18 圖6.1 三
目標資料相關結合示意圖	8	33(a) 計算前，三目標及十五量測值
33(b) 計算後之最佳組合	33	33 圖6.2 五目標資料相關結合技術示意圖
33(c) 計算前，五目標及二十五量測	33	34(a) 計
34(b) 計算後之最佳組合	34	34 圖6.3 三目標追蹤之位置及速度均方誤差
追蹤兩交叉飛行目標	35	35 圖6.4 雙目標追蹤之位置及速度均方誤差
35 圖6.5 模擬追蹤三變速目標	35	36 圖6.6 三目標追蹤之位置及速度均方誤差
36 圖6.7 用本文方法之模擬結果	36	37 圖6.8 模擬結果之誤差圖
37 表6.1 二定速目標之初始條件	37	38 表6.2 追蹤二定速目標
之模擬結果	38	38 表6.3 三目標之初始條件
38 表6.4 三目標之變速條件	38	38 表6.4 三目標之變速條件
39 表6.5 追蹤三變速目標之模擬結果	39	39 表6.5 追蹤三變速目標之模擬結果
表6.6 用本文所提方法之模擬結果	39	39 表6.6 用本文所提方法之模擬結果

參考文獻

- [1] K.C. Chang, C.Y. Chong, and Y. Bar-Shalom, " Joint Probabilistic Data and Association Distributed Sensor Networks " IEEE Trans. Automa.Contr., Vol.AC-31, pp.889-897, Oct.1986.
- [2] Y.Bar-Shalom and T.E. Fortmann, " Tracking and Data Association, " Academic Press, Inc.,1989.
- [3] C.B. Chang and J.A. Tabaczynski, " Application of State Estimation to Target Tracking, " IEEE Trans., Vol.AC-29, No.2, Feb. 1984.
- [4] E. Emre, and J.Seo, " A Unifying Approach to Multi-Target Tracking, " IEEE Trans. Aerosp. Electron. Syst., Vol.AES-25, pp.520-528 , 1989.
- [5] P.C. Chung,C.T. Tsai,E.L. Chen and Y.N.Sun, " Polygonal Approximation Using ACompetitive Hopfield Neural Network, " Pattern

- Recognition, Vol.27,No.11,pp.1505-1512,1994.
- [6] Chein-Chen Lee,Pau-Choo Chung,H.M Tsai, " Identifying Multiple Abdominal Organs from CT Image Series Using a Multimodule Contextual Neural Network and Spatial Fuzzy Rules, " IEEE Trans.on Information Technology in BioMedicine, Vo1.7, No.8,pp.208-217,Sept.2003.
- [7] Chuan-Yu Chang and Pau-Choo Chung, " Medical Image Segmentation Using a Contextual-Constraint Based Hopfield Neural Cube, " Image and Vision Computing,Vol.19, pp-669-678, 2001.
- [8] P.Swerling, " Radar Probability of Detection for Some Additional Fluctuating Target Cases, " IEEE Trans.Aerosp.Electron.Syst., Vol.AES-33, pp.698-709,1997 [9] E.Conte, M Lops, and G.Ricci, " Adaptive Detection Schemes in Compound-Gaussian Clutter, " IEEE Trans. Aerosp.Electron.Syst., Vol. AES-34, pp.1058-1069,1998.
- [10] D.J. Kershaw and R.J.Evans, " Waveform Selective Probabilistic Data Association, " IEEE Trans.Aerosp.Electron.Syst., Vol. AES-33, pp.1180-1189,1997.
- [11] H.Lee and I-J Tahk, " Generalized Input-Estimation Technique for Tracking Maneuvering Targets, " IEEE Trans.Aerosp.Electron.Syst., Vol.AES-35,pp.1388-1403,1999.
- [12] K.A. Fisher and P.S. Maybeck, " Multiple Adaptive Estimation with Filter Spawning, " IEEE Trans.Aerosp.Electron. Syst., Vol.38,No.3, pp.755-768,2002.
- [13] N.Okello and B.Ristic, " Maximum Likelihood Registration for Multiple Dissimilar Sensors. " IEEE Trans.Aerosp.Electron. Syst., Vol.39, No.3,pp.1074-1083,2003.
- [14] Yaakov Bar-Shalom,K.C.Chang,H.A.P.Bloom " Automatic Track Formation in Clutter With A Recursive Algorithm " ,Multitarget-Multisensor Tracking, Page:25-29 ,1981.
- [15] Samuel S.Blackman, " Multiple-Target Tracking with Radar Applications " .
- [16] Bar-Shalom,Y., " Tracking Methods in a Multi-targer Environment " , IEEE Trans.Automa.Contr., Vol.Ac-23, pp.618-626, Aug 1978 [17] Gish, H. and Mucci,Ronald, " Target state Estimation in a Multi- target Environment Using Multiple Sensors " ,IEEE Trans. Aerosp . Electron. Syst., Vol.AES-23,pp.60-72,jan.1987 [18] Brumback, B.D.and Srinath,M.D., " A Fault-Tolerant Multisensor Navigation System Desgin " ,IEEE Trans.Aerosp.Electron.Syst., Vol.AES-23, pp.738-755,Nov.1987 [19] Magarini,M. and Spalvieri,A., " Optimization of decentralized quantizers in rate constrained data fusion systems " , Geoscience and Remote Sensing Symposium,2000.Proceedings. IGARSS 2000. IEEE 2000 International,Volume:3,24-28 July 2000.
- [20] Koval,V., " The competitive sensor fusion algorithm for Multisensor systems " ,Intelligent Data Acquisition and Advanced Computing Systems:Technology and Applications,International Workshop on., 2001.,1-4 July 2001 [21] Vershinin,Y.A. and West,M.J., " a new data fusion algorithm based on the continuous-time decentralized Kalman filter:,Target Tracking :Algorithms and Applications (Ref. No.2001 /174),IEEE, Volume:1, 16-17 Oct .2001 [22] Vershinin.Y.A., " A data fusion algorithm for multisensor systems " , Information Fusion ,2002.Proceedings of the Fifth International Conference on ,Volume :1, 8-11 July 2002.
- [23] Weixian Liu and Yilong Lu and Fu,J.S., " Data fusion of multiradar system by using genetic algorithm " , Aerospace and Electronic Systems,IEEE Transactions on,Volume:38, Issue:2, April 2002.
- [24] Yu Xu and Yihui Jin and Yan Zhou, " Several methods of radar data fusion " ,Electromagnetic Compatibility,2002 3rd International Symposium on ,21-24 May 2002.
- [25] Jae-Jun Kim and Singh,T.and Llinas ,J., " Large scale simulation of a distributed target tracking system " ,Information Fusion, 2002. Proceedings of the Fifth International Conference on , Volume:1, pp.8-11 July 2002 [26] Benaskeur,A.R., " Consistent fusion of correlated data sources " , IECON 02 [Industrial Electronics Society, IEEE 2002 28th Annual Conference of the],Volume:4,5-8 Nov.2002 [27] Guosheng Yang and Feng Zhu and Lihua Dou, " An engineering method for multi-sensor track fusion " ,Autonomous Decentralized System,2002.The 2nd International Workshop on , 6-7 Nov.2002.
- [28] McErlean,D.and Narayanan,S., " Distributed detection and tracking in sensor networks " ,Singnals,Systems and Computers,2002. Conference Record of the Thirty-Sixth Asilomar Conference on ,Volume:2,3-6 Nov.2002 [29] Mort,N.and Prajitno ,P., " A multisensor data fusion-based target tracking system " ,Industrial Technology ,2002.IEEE ICTT ' 02.2002 IEEE International Conference on , Volume:1, 11-14 Dec .2002.
- [30] Jie Tian and Jie Chen and Lihua Dou and Yuhe Zhang, " The research of test and evaluation for multisensor data fusion systems " ,Intelligent Control and Automation,2002.Proceedings of the 4th World Congress on,Volume:3,10-14 June 2002.
- [31] Jin Xue-bo and sun You-xian , " Optimal fusion estimation covariance of multisensor data fusion on tracking problem " , Control Applications, 2002.Proceedings of the 2002 International Conference on,Volume:2,18-20 Sept .2002.
- [32] Xue-bo Jin and You-Xian Sun, " Optimal estimation for multisensor data fusion system with correlated measurement noise " , Signal Processing ,2002 6th International Conference on , Volume:2, pp.26-30 Aug. 2002.
- [33] Chamberland,J.-F, and Veeravalli,V.V., " Decentralized detection in sensor networks " ,Signal Processing ,IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on] ,Volume:51,Issue:2 Feb. 2003.
- [34] Khawsuk,W.and Pao ,L.Y., " decorrelated state estimation for distributed tracking using multiple sensors in cluttered environments "

,American Control Conference.,2003.Proceedings of the 2003, Volume:4,June4-6,2003 [35] Huimin Chen and Kirubarajan , T.and Bar- Shalom, Y., " Performance limits of track-to – track fusion versus centralized estimation:theory and application[sensor fusion] " , Aerospace and Electronic Systems,IEEE Transactions on ,Volume:39, Issue:2 April 2003.