

虎杖萃取液的抗氧化與抑制酪氨酸酵素之研究

陳勇智、張耀南

E-mail: 9607828@mail.dyu.edu.tw

摘要

本研究以 100% 純水、10% 與 70% 乙醇分別萃取傳統中草藥虎杖中有效成分-白藜蘆醇，並進行萃取液中白藜蘆醇的定量分析，及其抗氧化與抑制酪氨酸酵素之評估。實驗結果顯示，以 70% 乙醇萃取所得冷凍乾燥萃取物含量 (30% 萃取率) 與白藜蘆醇含量 (1.57% 乾重) 為最高。在 DPPH 抗氧化試驗中，除了最佳抗氧化之冷凍乾燥 70% 乙醇萃取液之外，其它萃取液之抗氧化活性隨其添加濃度或白藜蘆醇含量之增加而先行增加，而後隨其濃度或含量增加而漸降低其活性，冷凍乾燥 70% 乙醇萃取液隨其添加濃度或白藜蘆醇含量之增加而先行略降低其抗氧化活性，而後有漸增加其活性之趨勢。在抑制酪氨酸酵素活性方面，除了熱烘乾燥 100% 純水與 10% 乙醇萃取液可維持 80%~90% 酪氨酸酵素相對活性外，仍以冷凍乾燥 70% 乙醇萃取液的抑制酪氨酸酵素效果為最佳，但其添加濃度必須超過 1000?g/mL 或白藜蘆醇含量超過 15.7 ?g 時，其酪氨酸酵素相對活性將由原有 70% 逐漸下降，換言之，其抑制酪氨酸酵素效果則逐漸明顯而有效。由此可知，以 70% 乙醇萃取虎杖可得到最高冷凍乾燥萃取物含量與白藜蘆醇含量，其抗氧化活性與抑制酪氨酸酵素功效為最佳。

關鍵詞：虎杖、白藜蘆醇、抗氧化、酪氨酸酵素

目錄

目錄 封面內頁 簽名頁 授權書.....	iii	中文摘要.....	iv	英文摘要.....	v
誌謝.....	vi	目錄.....	vii	圖目錄.....	ix
錄.....	xi	1. 前言.....	12.	文獻回顧.....	4
杖.....	4.2.1	虎.....	2.1	虎.....	2.1
凝集作用.....	4.2.2	白藜蘆醇.....	7.2.2.1	抗氧化活性.....	18.2.2.2
性.....	19.2.2.3	抗癌作用.....	20.2.2.4	調節血管舒張活性.....	21.2.2.5
性.....	22.2.2.6	抗衰老、抗疲勞作用.....	22.2.2.7	臨床應用.....	22.2.2.8
法.....	23.2.3	自由基.....	23.3.	材料與方法.....	26.3.1
備.....	26.3.1.1	實驗材料.....	26.3.1.2	儀器設備.....	26.3.2
反式白藜蘆醇 HPLC 定量分析條件.....	27.3.3	中草藥虎杖萃取液抗氧化能力測定.....	28.3.4	中草藥虎杖抑制酪氨酸酵素的測定.....	29.3.5
4.2虎杖抗氧化能力試驗.....	32.4.	結果與討論.....	33.4.1	虎杖萃取率.....	33
醇.....	33.4.3	抑制酪氨酸酵素能力測定.....	35.4.4	HPLC定量白藜蘆.....	
37.5. 結論.....	50	參考文獻.....	52		

參考文獻

- 參考文獻 1. 王建華、雷帆、崔景蓉。2002。20種中藥對酪氨酸酵素抑制作用的研究。中國藥學雜誌，35 (1):232-234。 2. 呂麗琴。2003。白藜蘆醇對人類大腸癌細胞朱生長抑制作用之訊號傳遞機轉。實踐大學食品營養研究所碩士論文。台北市。 3. 邱年永、張光雄。2001。原色台灣藥用植物圖鑑:Vol.6.南天書局。台北。 4. 邱如敏。2004。麝香草酚與白藜蘆醇抑菌特性之探討。國立嘉義大學食品科學研究所碩士論文。嘉義市。 5. 吳淑靜、柯文慶、賴滋漢。1997。食品添加物，106-118，富林出版社。台中。 6. 柯漢傑、陳國棟、周正仁、陳介甫。2002。台灣與中國大陸產吳茱萸與其同屬植物之活性成分Dehydroevodiamine，Evodiamine，Rutaecarpine及Synephrine之含量比較。J. Chin. Med 13(3):151-158。 7. 閻軍。2002。中藥對酪氨酸酵素活性的影響。中草藥，33(4):378。 8. 閻軍、李昌生、陳聲利、張君仁、趙天恩。2003。14味中藥對酪氨酸酵素抑制作用的探討。中國藥房14(7):442-443。 9. 郭柏麟。2004。數種天然藥物之純化成分對人類肝癌細胞增生抑制作用和細胞程式死亡機制之探討。高雄醫學大學天然藥物研究所博士論文。高雄縣。 10. 謙雅婷。2002。鑑定細胞外ATP引起RBA-2第二型星狀細胞表現熱休克蛋白的機制。國立陽明大學神經科學研究所碩士論文。台北市。 11. 劉伯康、陳惠英、顏國欽。1991。數種傳統之食用植物甲醇萃取物抗氧化之研究。中國農業化學會誌, 37, 105-116。 12. Ames, B. N.:Endogeneous DNA damage as related to cancer and aging. Mutat. Res. 1990 ; 214:41-46. 13. Aruoma, O. I.:Nutrition and health aspects free radicals and antioxidants. Food Chem. Toxic. 1994, 32 (7):671-683. 14. Belguendouz, L., L. Fermont and A. Linard. 1997. Resveratrol inhibits metal ion-dependent and independent peroxidation of porcine low-density lipoproteins. Biochem. Pharmacol. 53: 1347-1355. 15. Belguendouz, L., L. Fermont and M. T. Gozzelino. 1998. Interaction of trans-resveratrol with plasma lipoproteins. Biochem. Pharmacol. 55: 811-816. 16. Burns, J., T. Yokota, H. Ashihara, M. E. J. Lean and A. Crozier. 2002. Plant foods and herbal sources of resveratrol. J. Agric. Food Chem. 50: 3337-3340. 17. Cantos, E., C. Garcia-Viguera, S. de Pascual-Teresa and F. A. Tomas-Barberan. 2000. Effect of postharvest ultraviolet irradiation on resveratrol

and other phenolics of cv. Napoleon table grapes. *J. Agric Food Chem.* 48: 4606-4612. 18. Cantos, E., J. C. Espin and F. A. Tomas-Barberan. 2001. Postharvest insuction modeling method using UV irradiation pulses for obtaining resveratrol-enriched table grapes: a new functional fruit? *J. Agric. Food Chem.* 49: 5052-5058. 19. Chen, C, K, abd C. R. Pace-Asciak. 1996. Vasorelaxing activity of resveratrol and quercetin in isolated rat aorta. *Gen. Pharmac.* 27 (2): 363-366. 20. Choi SY, Kim S,Hwang JS, Lee BG, Kim H, Kim SY. Benzylamide derivative compound attenuates the ultraviolet B-induced hyperpigmentation in the brownish guinish pig skin. *Biochem Pharmacol* 2004 ; 67:707-715. 21. Chung, I. M., M. R. Park, J. C. Chun and S. J, Yun. 2003. Resveratrol accumulation and resveratrol synthase gene expression in response to abiotic stresses and hormones in peanut plants. *Plant Sci.* 164: 103-109. 22. Corrigan, F. M. ; Welsh, S. W. ; Skinner, E. R. ; Horrobin, D. F.:Brain lipid in aging and in Alzheimer ' s Disease:a review. *J. Nutr. Med.* 1994, 4 (3):327-349. 23. Daniel B. Y., Jason W. G., Stephanie L. N., Arely V.P., Matthew T.C., David A.B. Anti-inflammatory activity in skin by biomimetic of *Evodia rutaecarpa* extract from traditional Chinese medicine. *J. Derm. Sci.* 2006 ; 42:13-21. 24. Dourtoglou, V. G., D. P. Makris, F. Bois-Dounas and C. Zonas. 1999. Trans-resveratrol concentration in wines produced in Greece. *J. Food composition andAnalysis* 12: 227-233. 25. Ernest VC, Cecil K, Heino H, Hansruedi G, Chie S, Victoria V, Vincent JHJ, Thomas PD. Inhibitios of mammalian melanocyte tyrosinase:in vitro comparisons of alkyl esters of gentisic acid with other putative inhibitors. *Biochem Pharmacol* 1999 ; 57:663-72. 26. Espin, J. C., Wichers, H. J. Slow-binding inhibition of mushroom(*Agaricus bisporus*) tyrosinase isoforms by tropolone. *J. Agr. Chem.*1999 ; 47:2638-2644. 27. Ernest VC, Cecil K, Heino H, Hansruedi G, Chie S, Victoria V, Vincent JHJ, Thomas PD. Inhibitios of mammalian melanocyte tyrosinase: in vitro comparisons of alkyl esters of gentisic acid with other putative inhibitors. *Biochem Pharmacol* 1999;57:663-72. 28. Fauconneau, B., P. Waffo-Teguo, F. Huguet, L. Barrier, A. Decendit and J. M. Merillon. 1997. Comparative study of radical scavenger and antioxidant properties of phenolic compounds from *Vitis vinifera* cell cultures using in vitro tests. *Life Sci.* 61: 2103-2110. 29. Frankel, E. N., A. L. Waterhouse and P. L. Teissedre. 1995. Principal phenmlic phytochemicals in selected California wines and their antioxidant activity in inhibiting oxidation of human low-densith lipoproteind. *J. Agric. Food Chem.* 43: 890-894. 30. Fremont L. 2000.Biological effects of resveratrol. *Life Sci.* 66(8): 663-673. 31. Fritzemeier, K. H., C. H. Rolfs, J. Pfau and H. Kindl. 1983. Action of ultraviolet-C on stilbene formation in callus of *Arachis hypogaea*. *Planta* 159: 25-29. 32. Gehm, B. D., J. M. McAndrews, p. Y. Chien and J. L. Jameson. 1997. Resveratrol, a polyphenolic compound found in grapes and wine, is an agonist for the estrogen receptor. *Proc. Natl. Acad. Sci. Usa* 94: 14138-14143. 33. Halliwell, B. ; J.M.C. Gutteridge, C.E.Cross. Free radical, antioxidants and human disease:where are we now? *J. Lab. Clin. Med.* 1992, 119 (6):598-602. 34. Ingham, J. L. 1976. 3,4,5 ' -trihydroxystilbene as a phytoalexin from groundnuts (*Arachis Hypogaea*). *Phytochem.* 15: 1791-1793. 35. Iozumi K,Hoganson GE, Pemella R, Everett MA, Fuller BB. Role of tyrosinase as the determinant of pigmentation in cultured human melanocytes. *J Invest Dermatol* 1993 ; 100:806-11. 36. Jang, M., Cai, L., Udeani, G.O., Slowing, K.V., Thomas, C.F., Beecher, C.W.W.,Fong, H.H.S., Farnsworth, N.R., Kinghorn, A.D., Mehta, R.G., Moon, R.C., and Pezzuto,J.M. 1997. Caner chemopreventive activity of resveratrol, a natural product derived fromgrapes. *Science* 275,218-220. 37. Jankun, J., Selman, S.H. and Swiercz, R. 1997. Why drinking green tea could prevent cancer. *Nature* 387,561. 38. Joe, A.K., Liu, H., Suzui, M., Vural, M.E., Xiao, D., and Weinstein, I.B. 2002. Resveratrol induces growth inhibition, S-phase arrest, apoptosis, and changes in biomarker expression in several human cancer cell lines. *Clin. Cancer Res.* 8, 893-903. 39. Juan, M. E., R. M. Lamuela-Raventos, M. C. de la Torre-Boronat and J. M. Planas. 1999. Determination of trans-resveratrol in plasma by HPLC. *Anal. Chem.*.. 71: 747-750. 40. Kawada, N., S. Seki, M. Inoue and T. Kuroki. 1998. Effect of antioxidants, resveratrol, quercetin, and N-acetylcysteine, on the functions of cultured rat hepatic stellate cells and kupffer cells. *Hepatol.* 27: 1265-1274. 41. Keen N. T. and J. L. Ingham. 1976. New stilbene phytoalexins from American cultivars of *Arachis Hypogaea*. *Phytochem.* 15: 1794-1795. 42. Kerem Z., G. Regev-Shoshani, M. A. Flaishman and L. Sivan. 2003. Resveratrol and two monomethylated stilbenes from Israeli *Rumex bucephalophorus* and their antioxidant potential. *J. Nat. Prod.* 66: 1270-1272. 43. Kinsella, J.; Frankel, E.; German, B. and Kanner, J. :Possible mechanism for the protective role of antioxidants in wine and plant foods. *Food Technol.* 1993,47:85-89. 44. K. Maeda and M. Fukuda. In vitro effect of several whitening cosmetic components in human melanocytes. *J. Soc. Cosmet. Chem.* 1991 ; 42:361-368. 45. Koner A,Pawelek J. Mammalian tyrosinase catalases three reactions in the biosynthesis of melanin. *Science* 1982 ; 217:1163-5. 46. Langcake, P. and R. J. Pryce. 1976. the production of resveratrol by *vitis vinifera* and other members of the Vitaceae as a responseto infection. *Physiol. Plant Pathol.* 9: 77-86. 47. Langcake, P. C. A. Cornford and R. J. Pryce. 1979. Identification of pterostilbene as a phytoalexin from *vitis vinifera* leaves. *Phytochem.* 18: 1025-1027. 48. Latruffe, N., D. Delmas, B. Jannin, M. C. Malki, P. P. Degrace and J. P, Berlot. 2002. Molecular analysis on the chemopreventive properties of resveratrol, a plant polyphenol microcomponent. *International J. Mol. Med.* 10: 755-760. 49. Mahyar-Roemer, M., Katsen, A., Mestres, P. and Roemer, K. 2001 Resveratrol induces colon tumor cell apoptosis independently of p53 and preceded by epithelial differentiation, mitochondrial proliferation and membrane potential collapse. *Int. J. Cancer* 94, 615-622. 50. Melzoch, K., I. Hanzlikova, V. Filip, D. Buckiova and J. Smidrkal. 2001. Resveratrol in parts of vine and wine originating from bohemian and Moravian vineyard regions. *Agriculturae Conspectus Scientificus* 66(1): 53-57. 51. Miura, T., S. Muraoka, N. Ikeda, M. Watanabe and Y. Fujimoto. 2000. Antioxidative and prooxidative action of stilbene derivatives. *Pharmacol. & Toxicol.* 86: 203-208. 52. Park, J.-W., Choi, Y.-J., Jang, M.-A., Lee, Y.-S., Jun, D.Y., Suh, S.-I., Baek, W.-K.,Suh, M.-H., Jin, I.-N., and Kwon, T. K. 2001. Chemopreventive agent resveratrol, a natural product derived from grapes, resversibly inhibits progression through S and G2 phases of the cell cycle in U937 cells. *Cancer Res.* 163, 43-49. 53. Pawelek JM. After dopachrome. *Pigment Cell Res* 1991 ; 4:53-62. 54. Pezet, R., C. Per ret, J. B. Jean-Denis, R. Tabacchi, K. Gindro and O. Viret. 2003. -Viniferin, a resveratrol dehydromider: one of the major stilbene synthesized by stressed grapevine leaves. *J. Agric. Food Chem.* 51: 5488-5492. 55. P. E. Grimes. Melasma. Etiologic and therapeutic considerations. *Arch Dermatol.* 1995 ; 131:1453-1457. 56. Pomerantz, S. H. Separation, purification and properties of two tyrosinases from hamster melanoma. *J. Bio. Chem.* 1963

; 238:2351-2357. 57. Romero-Perez, A. I., M. Ibern-Gomez, R. M. Lamuela-Raventos and M. C. de la Torre-Boronat. 1999. Piceid, the major resveratrol derivative in grape juices. *J. Agric. Food Chem.* 47: 1533-1536. 58. Satoru K, Kazuhiko T, Norio M, Jinetsu U. Antioxidative activity of apply skin or flesh extracts associated with fruit development on selected apply cultivars. *Scientia Horticulturae*. 2002 ; 96:177-185. 59. Sanders, T. H., R. W. McMichael, J. R. Hendrix and K. W. Hendrix. 2000. Occurrence of resveratrol in edible peanuts. *J. Agric. Food Chem.* 48: 1243-1246. 60. Schneider, Y., Duranton, B., Gosse, F., Schleiffer, R., Seiler, N. and Raul, F. 2001. Resveratrol inhibits intestinal tumorigenesis and modulates host-defense-related gene expression in an animal model of human familial adenomatous polyposis. *Nutr. Cancer* 39, 102-107. 61. Schneider, Y., Vincent, F., Duranton, B., Badolo, L., Gosse, F., Bergmann, C., Seiler, N. and Raul, F. 2000. Anti-proliferative effect of resveratrol, a natural component of grapes and wine, on human colonic cancer cells. *Cancer Lett.* 158, 85-91. 62. Schroder, G., Brown, J.W.S. and Schroder, J. 1988. Molecular analysis of resveratrol synthase. *Eur. J. Biochem.* 172, 161-169 63. Schultz, T. P., T. F. Hubbard, JR, L. Jin, T. H. Fisher and D. D. Nicholas. 1990. Role of stilbenes in the natural durability of wood: fungicidal structure-activity relationships. *Phytochem.* 29(5): 1501-1507. 64. Sobolev, V. S. and R. J. Cole. 1999. Trans-resveratrol content in commercial peanuts and peanut products. *J. Agric. Food Chem.* 47: 1435-1439. 65. Surh, Y. -J., Hurh, Y. – J., Kang, J.-Y., Lee, E., Kong, G. and Lee, S.J. 1999. Resveratrol, an antioxidant present in red win, induces apoptosis in human promyelocytic leukemia (HL-60) cells. *Cancer Lett.* 140, 1-10. 66. Subbaramaiah, K., chung, W.J., Michaluart, P., Telang, N., Tanabe, T., Inoue, H., Jang, M., Pezzuto, J.M. and Dannenberg, A.J. 1998. Resveratrol inhibits cyclooxygenase-2 transcription and activity in phorbol ester-treated human mammary epithelial cells. *J. Biol. Chem.* 273, 21875-21882. 67. Tessitore, L., Davit, A., Sarotto, I. and caderni, G. 2000. Resveratrol depresses the growth of colorectal aberrant crypt foci by affecting bax and p21CTP expression. *Carcinogenesis* 21, 1619-1622. 68. Vastano B. C., Y. Chen, N. Zhu, C. T. Ho, Z. Zhou and R. T. Rosen. 2000. Isolation and identification of stilbene in two varieties of *Polygonum cuspidatum*. *J. Agric. Food Chem.* 48: 253-256. 69. Waterhouse, A. L. and R. M. Lamuela-Raventos. 1994. The occurrence of piceid, a stilbene glucoside, in grape berries. *Phytochem.* 37(2): 571-573. 70. Wolter, F., Akoglu, B., Clausnitzer, A., and Stein, J. 2001. Downregulation of the cyclin D1/cdk4 complex occurs during resveratrol-induced cell cycle arrest in colon cancer cell lines. *J. Nutr.* 131, 2197-2203. 71. Wolter, F., Clausnitzer, A., Akoglu, B. and stein, J. 2002. Piceatannol, a natural analog of resveratrol, inhibits progression through the S phase of the cell cycle in colorectal cancer cell lines. *J. Nutr.* 132, 298-302. 72. Yamaguchi, T., Takamura, H., Matoba, T. and Terao, J. HPLC method for evaluation of the free radical-scavenging activity of foods by using 1, 1-diphenyl-2-picrylhydrazyl. *Biosci. Biotech. Biochem.* 1998 ; 62:1201-1204.