Active Noise Control of Honeycomb Sandwich Panels Using MFC Actuators

吳鎧麟、羅正忠

E-mail: 9707383@mail.dyu.edu.tw

ABSTRACT

New all-composite aircraft fuselage designs are being developed with a flexible honeycomb core sandwiched between carbon fiber reinforced composite laminate face sheets. The honeycomb sandwich panels offer potential advantages for significant weight reduction, while maintaining strength and fatigue properties. However, the excessive levels of vibration and noise of honeycomb sandwich panels have been a major cause for concern. Thus, vibration suppression and noise reduction in honeycomb sandwich panels pose major challenges for future aircraft design. In this research, vibroacoustic characteristics of honeycomb sandwich panels were experimentally examined in order to develop efficient and reliable vibroacoustic control mechanisms. The experimental measurements of dynamic characteristics of honeycomb sandwich panels were validated using ANSYS finite element model. Macro Fiber Composite (MFC), a newly developed piezoelectric actuator by the NASA LaRC, is typically directional or anisotropic, and more flexible and conformable as compared to a traditional monolithic isotropic piezoceramic actuator. The honeycomb sandwich panel was proposed as a test platform to demonstrate the effectiveness of MFC actuators in vibration suppression of honeycomb sandwich panel. Experimental investigation was implemented to evaluate the effectiveness of vibroacoustic control of honeycomb sandwich panel with MFC actuators. Four pieces of MFC actuators are surface-bonded in two effective locations for controlling vibration of lowest four modes. The surface-bonded locations were determined by modal analysis of honeycomb sandwich panel. The results of vibroacoustic attenuation with different MFC actuating locations were presented in this study. The transmission loss of MFC/honeycomb sandwich panel was also measured and presented in this study. The study suggested that using the MFC actuators in vibroacoustic control of honeycomb sandwich panel had been highly effective.

Keywords : honeycomb sandwich panels ; Macro Fiber Composite ; transmission loss

Table of Contents

REFERENCES

[1] 劉孝偉，“複合三明治平板黏彈性分析”，國立中正大學碩士論文，指導教授:黃崧任 [2] www.smart-materials.com [3] P. Lueg, “Process of silencing sound oscillations,” U. S. Patent 2043416, 1936.

[4] M. A. Swinbanks,“The active control of sound propagation in long ducts,” Journal of Sound Vibration, p.411~436, 1973.

[5] J. C. Burgess,“Active Adaptive Sound Control In a duct:A Computer Simulation,” J. Acoustic. Soc. Am, 1981.

[6] J. A. Steel,“Sound transmission between plates in framed structure,” Journal of Sound and Vibration, pp.379~394, 1994.

[7] Gopal P. Mathur and Boi N. Tran,“Active Structural Acoustic Control of Sound Transmission Through a Panel with Vibration and Acoustic Sensors,” Recent Advances in Active Control of Sound and Vibration, pp.369~3793, 1993.

[8] K. Renji“Sound transmission loss of unbounded panels in bending vibration considering transverse shear deformation,” Journal of Sound and Vibration, pp.478~486, 2005.

[9] Huei Jeng Lin, Chao Nan Wang and Yan-Min Kuo“Sound transmission loss across specially orthotropic laminates,” Applied Acoustics, pp.1177~1191, 2006.

[10] B. H. Sharp,“Prediction methods for the sound transmission of building elements,” Noise Control Engineering, pp.53~63, 1978.

[11] W. Desmet and P. Sas,“Sound transmission of finite double-panel partitions with sound absorbing material and panel stiffeners,”

CEAS/AIAA Joint Aeroacoustics Conference, pp.311~320, 1995.
[12] 林輝政、王昭男、郭彥閔，“非等向性FRP材料聲學性質及隔音效能之研究”，國立成功大學論文，1996.
[13] D. Millar,“The Behavior of Light Weight Honeycomb Sandwich Panels Under Acoustic Load,”Proceedings of the sixth International Conference on Recent Advances in Structure Dynamics, pp.995~1006, 1997.
[14] Wen Chao Huang and Chung Fai Ng“Sound insulation improvement using honeycomb sandwich panel,”Applied Acoustics, pp.163~177, 1998.
[15] Portia R. Peters, Shankar Rajaram and Steven Nutt“Sound transmission loss of damped honeycomb sandwich panels,”2006.
[16] P. Thamburaj and J. Q. Sun“Optimization of anisotropic sandwich beams for higher sound transmission loss,”Journal of Sound and Vibration, pp.13~30, 2002.
[17] P. De Man, A. Francois and A. Preumont“Active control of noise transmission through double wall structures An overview of possible approaches,”6th National Congress on Theoretical Applied Mechanics, 2003.
[18] P. Sas, C. Bao, F. Augusztinovicz and W. Desmet,“Active Control of Sound Transmission Through A Double Panel Partition,”Journal of Sound and Vibration, pp.609~625, 1995.
[19] Kuo Tsai Chen,“An Adaptive Active Control of Sound Transmission through an Aperture at Low Frequencies,”Applied Acoustics, pp.153~174, 1995.
[20] K. Henrioulle, W. Dehandschutter and P. Sas, 1998,“Active control of sound transmission through a single panel partition. Part I : Simulations,”Proc. ISMA23 Noise and Vibration Eng., pp.16~18, 1998.
[21] C. C. Sung and Chiu,“Control of Sound Transmission through Thin Plate,”Journal of Sound and Vibration, pp.605~618, 1998.
[22] 潘政佳“穿透平板噪音之主動結構噪音控制”國立成功大學造船暨船舶機械工程研究所碩士論文，2001.
[23] R. L. Forward,“Electronic Damping of Vibration in Optical Structures”, Journal of Applied Optics, 18(5), pp. 690-697, 1979.
[24] Hagood and A. Von Flotow,“Damping of Structural Vibrations with Piezoelectric Materials and Passive Electrical Network”, Journal of Sound and Vibration, 249(2), pp. 227-250, 2002.
[25] J-K. Lee, J. Kim, C-J. Rhee, C-H. Jo and S-B. Choi,“Noise Reduction of Passive and Active Hybrid Panels,”Smart Materials and Structures, 11(6), pp. 940-946, 2002.
[26] 魏騰佑“自行車壓電纖維複材把手管件的振動控制使用有限元素模型法”大葉大學機械工程研究所碩士論文，2005.